


			BS 14.4	BS 14.4 Quick	BS 18	BS 18 Quick	SB 18
*1) Serial Number			02206..	02202..	02207..	02217..	02245..
U	V		14,4	14,4	18	18	18
n	/min (rpm)	1	0 - 400		0 - 450		
		2	0 - 1500		0 - 1600		
M _A	Nm (in-lbs)	1	20 (177)		24 (212)		
M _B	Nm (in-lbs)	1	40 (354)		48 (425)		
M _C	Nm (in-lbs)	1 , 2	0,5 - 4,5 (4.0 - 40)				
D _{1 max} 	mm (in)	1	10 (³ / ₈)				
D _{2 max} 	mm (in)	1	20 (³ / ₄)				
D _{3 max} 	mm (in)	2	-				10 (³ / ₈)
s	/min, bpm	2	-				24000
m	kg (lbs)		1,2 (2.6)		1,3 (2.9)		1,4 (3.1)
G	-		1/2" - 20 UNF	-	1/2" - 20 UNF	-	1/2" - 20 UNF
a _{h, ID} /K _{h, ID}	m/s ²		-				23 / 1,5
a _{h, D} /K _{h, D}	m/s ²		< 2,5 / 1,5				
a _{h, S} /K _{h, S}	m/s ²		< 2,5 / 1,5				
L _{pA} /K _{pA}	dB(A)		72 / 3		70 / 3		86 / 3
L _{WA} /K _{WA}	dB(A)		83 / 3		81 / 3		97 / 3



*2) 2014/30/EU, 2006/42/EC, 2011/65/EU

*3) EN 60745-1:2009+A11:2010, EN 60745-2-1:2010, EN 60745-2-2:2010, EN IEC 63000:2018

2021-09-22, Bernd Fleischmann

Direktor Produktentstehung & Qualität (Vice President Product Engineering & Quality)

*4) Metabowerke GmbH - Metabo-Allee 1 - 72622 Nuertingen, Germany

ppa. B.F.