
		W 18 L 9-115 <small>*1) Serial Number 02246.</small>	W 18 L 9-125 <small>*1) Serial Number 02247.</small>	W 18 L 9-125 Quick <small>*1) Serial Number 02249.</small>
		D_{max} mm (in)	115 (4 1/2)	125 (5)
U	V	18		
t_{max1}; t_{max2}; t_{max3}; t_{max4}	mm (in)	10; 6; 8; 15 <small>(3/8; 1/4; 5/16; 19/32)</small>		
 M / I	- / mm (in)	M 14 / 19 (3/4)		
n	min ⁻¹ (rpm)	8500		
m	kg (lbs)	2,3 (5.1)		
a_{h,SG}/K_{h,SG}	m/s ²	4,5/1,5	5,0/1,5	
a_{h,DS}/K_{h,DS}	m/s ²	<2,5/1,5		
L_{pA}/K_{pA}	dB(A)	85/3	86/3	
L_{WA}/K_{WA}	dB(A)	96/3	96/3	

CE *2) 2011/65/EU, 2006/42/EC, 2014/30/EU
 *3) EN 60745-1:2009+A11:2010,
 EN 60745-2-3:2011+A2:2013+A11:2014+A12:2014+A13:2015, EN IEC 63000:2018

ppa. *B.F.*

2021-11-24, Bernd Fleischmann
 Direktor Produktentstehung & Qualität (Vice President Product Engineering & Quality)
 *4) Metabowerke GmbH - Metabo-Allee 1 - 72622 Nuertingen, Germany