# SAFETY DATA SHEET



Version #: 01

Issue date: 06-February-2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

WHITE LINEN & LACE VOTIVE CANDLE 1570555E

Registration number

Synonyms None.

Product code 1570555E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesGeneral Public UseUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company name Yankee Candle Company (Europe) Limited

Company Address Poplar Way East, Cabot Park

Avonmouth Bristol

United Kingdom BS11 0YH

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

**Control Center** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Estonia National Poisons** 

Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

Hungary National

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

 $\pm 370\ 5\ 236\ 20\ 52$  or  $\pm 37068753378$  (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC) 030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: WHITE LINEN & LACE VOTIVE CANDLE 1570555E 1570555E Version #: 01 Issue date: 06-February-2023

#### 1.4. Emergency telephone number

**Portugal Poison Centre** 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si

Informare Toxicologica

021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

**Slovakia National** 

**Toxicological Information** Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison** Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements** 

**Precautionary statements** 

Prevention Not applicable. Response Not applicable. Not applicable. Storage Not applicable. **Disposal** 

Supplemental label information

EUH208 - Contains Acetylcedrene, Linalool, Coumarin, Lyral. May produce an allergic reaction.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## General information

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
1,4-Dioxacyclohexadecane-5,16-dior e	n ≤1	54982-83-1 259-423-6	-	-	
Classification	: Aquatic A	cute 1;H400, Aquatic	Chronic 3;H412		
Galaxolide	≤ 1	1222-05-5 214-946-9	-	603-212-00-7	
Classification	: Aquatic A	cute 1;H400, Aquatic	Chronic 1;H410		
Acetylcedrene	≤ 0,3	32388-55-9 251-020-3	-	-	
Classification	: Skin Sens	. 1B;H317, Aquatic A	cute 1;H400, Aquatic Chroni	ic 1;H410	
Coumarin	≤ 0,2	91-64-5 202-086-7	-	-	
Classification	: Acute Tox	. 4;H302;(ATE: 500 m	ng/kg), Skin Sens. 1B;H317		
Linalool	≤ 0,2	78-70-6 201-134-4	-	603-235-00-2	
Classification	: Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Lyral	≤ 0,1	31906-04-4 250-863-4	-	605-040-00-8	
Classification	: Skin Sens	. 1A:H317			

Material name: WHITE LINEN & LACE VOTIVE CANDLE 1570555E

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume, #: This substance has been assigned Union workplace exposure limit(s).

The full text for all H-statements is displayed in section 16. **Composition comments** 

**SECTION 4: First aid measures** 

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

Nausea.

delayed 4.3. Indication of any

Treat symptomatically.

immediate medical attention and special treatment needed

**SECTION 5: Firefighting measures** 

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Foam. Dry powder. Dry sand. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate personal protective equipment.

personnel

For emergency responders Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk, Following product recovery, flush area with water,

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Material name: WHITE LINEN & LACE VOTIVE CANDLE 1570555E

Belgium. Exposure Limit Values Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Croatia. Dangerous Substance Ex	posure Limit Values in the W Type	orkplace (ELVs), Annexes 1 a Value	and 2, Narodne Novine, Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	MAC	2 mg/m3	Fume.
,	STEL	6 mg/m3	Fume.
Denmark. Exposure Limit Values Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TLV	2 mg/m3	Fume.
Estonia. OELs. Occupational Exp Components	osure Limits of Hazardous Sเ Type	ıbstances (Regulation No. 10 Value	5/2001, Annex), as amer Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Vapour.
Finland. Workplace Exposure Lim Components	iits Type	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	1 mg/m3	Fume.
France. Threshold Limit Values (V Components	LEP) for Occupational Expos	sure to Chemicals in France, Value	INRS ED 984 Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	VME	2 mg/m3	Fume.
	e limit (VL)		
Greece. OELs (Decree No. 90/199) Components	9, as amended) Type	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
	TWA	2 mg/m3	Fume.
Iceland. OELs. Regulation 154/199 Components	99 on occupational exposure Type	limits Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Ireland. Occupational Exposure L			<b>-</b>
Components  Paraffin waxes and	Type STEL	Value 6 mg/m3	Form Fume.
Paranin waxes and Hydrocarbon waxes (CAS 8002-74-2)		•	
	TWA	2 mg/m3	Fume.
Italy. Occupational Exposure Limicomponents	its Type	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Norway. Administrative Norms for Components	r Contaminants in the Workpl Type	ace Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TLV	2 mg/m3	Fume.

Components	Туре	Value	Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Inhalable fraction.		
		0 ppm	Inhalable fraction.		
Portugal. VLEs. Norm on oc Components	cupational exposure to chemical ag Type	gents (NP 1796) Value	Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.		
Romania. OELs. Protection Components	of workers from exposure to chemi Type	cal agents at the workplace Value	Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.		
	TWA	2 mg/m3	Fume.		
Slovakia. OELs. Regulation Components	No. 300/2007 concerning protection Type	n of health in work with chemical Value	agents Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.		
0002-14-2)	TWA	2 mg/m3	Fume.		
Spain. Occupational Exposu					
Components	Туре	Value	Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.		
Switzerland. SUVA Grenzwe		Value	Form		
Components	Type	Value	Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Respirable fume.		
UK. EH40 Workplace Expose Components	ure Limits (WELs) Type	Value	Form		
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.		
0002 1 1 2)	TWA	2 mg/m3	Fume.		
logical limit values	No biological exposure limits noted	for the ingredient(s).			
commended monitoring	Follow standard monitoring procedures.				
ived no effect levels ELs)	Not available.				
- /					
dicted no effect centrations (PNECs)	Not available.				
dicted no effect centrations (PNECs) Exposure controls					
dicted no effect centrations (PNECs)	Not available.  Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recorestablished, maintain airborne levels	local exhaust ventilation, or other enmended exposure limits. If expos	engineering controls to		
dicted no effect centrations (PNECs) Exposure controls propriate engineering trols	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below record	local exhaust ventilation, or other of mmended exposure limits. If exposus to an acceptable level.  nent  lld be chosen according to the CEN	engineering controls to ure limits have not bee		
dicted no effect centrations (PNECs) Exposure controls propriate engineering trols	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recorestablished, maintain airborne levels such as personal protective equipment should be applicable.	local exhaust ventilation, or other of mmended exposure limits. If exposus to an acceptable level.  nent all be chosen according to the CEN ersonal protective equipment.	engineering controls to ure limits have not beel		
dicted no effect centrations (PNECs) Exposure controls propriate engineering trols vidual protection measures, General information	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recorestablished, maintain airborne levels such as personal protective equipressonal protection equipment should discussion with the supplier of the personal protection of the personal protection equipment should see the supplier of the personal protection equipment should see the supplier of the personal protection equipment should see the supplier of the personal protection equipment should see the supplier of the personal protection equipment should be applied as processed as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplied as the suppli	local exhaust ventilation, or other of mmended exposure limits. If exposus to an acceptable level.  nent all be chosen according to the CEN ersonal protective equipment.	engineering controls to ure limits have not bee		
dicted no effect centrations (PNECs) Exposure controls propriate engineering trols  vidual protection measures, General information  Eye/face protection	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recorestablished, maintain airborne levels such as personal protective equipressonal protection equipment should discussion with the supplier of the personal protection of the personal protection equipment should see the supplier of the personal protection equipment should see the supplier of the personal protection equipment should see the supplier of the personal protection equipment should see the supplier of the personal protection equipment should be applied as processed as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplier of the personal protection equipment should be applied as the supplied as the suppli	local exhaust ventilation, or other of mmended exposure limits. If exposing to an acceptable level.  nent all be chosen according to the CEN ersonal protective equipment.  Its (or goggles).	engineering controls to ure limits have not beel		

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Solid. Form Solid.

Not available. Colour Not available. Odour

39 - 95 °C (102,2 - 203 °F) / 39 °C (102,2 °F) estimated Melting point/freezing point

Boiling point or initial boiling

Explosive limit - upper

point and boiling range

350 - 430 °C (662 - 806 °F)

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits 0,9 % estimated Explosive limit - lower (%) 7 % estimated

(%) Flash point

204 - 271 °C (399,2 - 519,8 °F)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. pН Not available. 2.1 - 5 mm<sup>2</sup>/s Kinematic viscosity

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available. (n-octanol/water)

Vapour pressure > 2.67 kPa Vapour density Not available. Not available. Relative density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

# 9.2.2. Other safety characteristics

800 - 940 kg/m3 **Density Explosive properties** Not explosive. **Oxidising properties** Not oxidising. 0.8 - 0.94Specific gravity

# **SECTION 10: Stability and reactivity**

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Material name: WHITE LINEN & LACE VOTIVE CANDLE 1570555E

Skin contact May cause an allergic skin reaction.

Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Nausea. **Symptoms** 

11.1. Information on toxicological effects

No data available. Acute toxicity

Skin corrosion/irritation Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

irritation

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary, 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Coumarin (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information May cause allergic respiratory and skin reactions.

**SECTION 12: Ecological information** 

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components **Test Results Species** 

Coumarin (CAS 91-64-5)

**Aquatic** Acute

Fish LC50 >= 32 - <= 100 mg/l, 96 hours Guppy (Poecilia reticulata)

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

1,4-Dioxacyclohexadecane-5,16-dione 3,65 Acetylcedrene 5.9 1,39 Coumarin Galaxolide 5,3 Linalool 2,97

**Bioconcentration factor (BCF)** Not available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available. This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Material name: WHITE LINEN & LACE VOTIVE CANDLE 1570555E

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

## **SECTION 14: Transport information**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals. Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

## Other EU regulations

### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Galaxolide (CAS 1222-05-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Material name: WHITE LINEN & LACE VOTIVE CANDLE 1570555E

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**Revision information** 

Product and Company Identification: Product and Company Identification

GHS: Classification

**Training information** 

Follow training instructions when handling this material.

Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: WHITE LINEN & LACE VOTIVE CANDLE 1570555E