

Version #: 01

Issue date: 27-August-2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|   |  |
|---|--|
| <b>Trade name or designation of the mixture</b> | YC Cherry Vanilla Soy Tea Lights 1725993EN |
| <b>Registration number</b>                      | -  |
| <b>Synonyms</b>                                 | None.                                      |
| <b>Product code</b>                             | 1725993EN                                  |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                             |                    |
|-----------------------------|--------------------|
| <b>Identified uses</b>      | General Public Use |
| <b>Uses advised against</b> | None known.        |

### 1.3. Details of the supplier of the safety data sheet

|                        |   |
|------------------------|---|
| <b>Company name</b>    | Yankee Candle Company (Europe) Limited  |
| <b>Company Address</b> | Poplar Way East, Cabot Park<br>Avonmouth<br>Bristol<br>United Kingdom<br>BS11 0YH |

### 1.4. Emergency telephone number

|   |   |
|---|---|
| <b>General in EU</b>  | 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)   |
| <b>Austria National Poisons Information Centre</b>            | +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)   |
| <b>Belgium National Poisons Control Center</b>                | 070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)   |
| <b>Bulgaria National Toxicological Information Centre</b>     | +359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)  |
| <b>Czech Republic National Poisons Information Centre</b>     | +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)  |
| <b>Denmark National Poisons Control Center</b>                | +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)   |
| <b>Estonia National Poisons Information Centre</b>            | 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.) |
| <b>Finland National Poison Information Center</b>             | (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)   |
| <b>France National Poisons Control Center</b>                 | ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)  |
| <b>Hungary National Emergency Phone Number</b>                | 36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)  |
| <b>Lithuania Neatidėliotina informacija apsinuodijus</b>      | +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)   |
| <b>Malta Accident and Emergency Department</b>                | 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)  |
| <b>Netherlands National Poisons Information Center (NVIC)</b> | 030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)   |
| <b>Norway Norwegian Poison Information Center</b>             | 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)   |

#### 1.4. Emergency telephone number

|   |  |
|---|--|
| <b>Portugal Poison Centre</b>                             | 800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)                          |
| <b>Romania Biroul RSI si Informare Toxicologica</b>       | 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)                         |
| <b>Slovakia National Toxicological Information Centre</b> | +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)                     |
| <b>Sweden National Poison Information Center</b>          | 112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) |
| <b>Switzerland Tox Info Suisse</b>                        | 145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)                                  |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

|                       |             |   |
|-----------------------|-------------|---|
| <b>Health hazards</b> |             |   |
| Skin sensitisation    | Category 1A | H317 - May cause an allergic skin reaction. |

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

|             |  |
|-------------|--|
| <b>UFI:</b> | Austria: 7RJN-2RQ8-70HN-FRHM<br>Belgium: 7RJN-2RQ8-70HN-FRHM<br>Bulgaria: 7RJN-2RQ8-70HN-FRHM<br>Croatia: 7RJN-2RQ8-70HN-FRHM<br>Cyprus: 7RJN-2RQ8-70HN-FRHM<br>Czech Republic: 7RJN-2RQ8-70HN-FRHM<br>Denmark: 7RJN-2RQ8-70HN-FRHM<br>Estonia: 7RJN-2RQ8-70HN-FRHM<br>EU: 7RJN-2RQ8-70HN-FRHM<br>Finland: 7RJN-2RQ8-70HN-FRHM<br>France: 7RJN-2RQ8-70HN-FRHM<br>Germany: 7RJN-2RQ8-70HN-FRHM<br>Great Britain: 7RJN-2RQ8-70HN-FRHM<br>Greece: 7RJN-2RQ8-70HN-FRHM<br>Hungary: 7RJN-2RQ8-70HN-FRHM<br>Iceland: 7RJN-2RQ8-70HN-FRHM<br>Ireland: 7RJN-2RQ8-70HN-FRHM<br>Italy: 7RJN-2RQ8-70HN-FRHM<br>Latvia: 7RJN-2RQ8-70HN-FRHM<br>Lithuania: 7RJN-2RQ8-70HN-FRHM<br>Luxembourg: 7RJN-2RQ8-70HN-FRHM<br>Malta: 7RJN-2RQ8-70HN-FRHM<br>Netherlands: 7RJN-2RQ8-70HN-FRHM<br>Norway: 7RJN-2RQ8-70HN-FRHM<br>Poland: 7RJN-2RQ8-70HN-FRHM<br>Portugal: 7RJN-2RQ8-70HN-FRHM<br>Romania: 7RJN-2RQ8-70HN-FRHM<br>Slovakia: 7RJN-2RQ8-70HN-FRHM<br>Slovenia: 7RJN-2RQ8-70HN-FRHM<br>Spain: 7RJN-2RQ8-70HN-FRHM<br>Sweden: 7RJN-2RQ8-70HN-FRHM |
|-------------|--|

**Contains:** Isoeugenol, Octabenzone

#### Hazard pictograms



**Signal word** Warning

**Hazard statements**  
H317 May cause an allergic skin reaction.

#### Precautionary statements

**Prevention** Not applicable.

**Response** Not applicable.

|                 |                 |
|-----------------|-----------------|
| <b>Storage</b>  | Not applicable. |
| <b>Disposal</b> | Not applicable. |

**Supplemental label information** None.

**2.3. Other hazards** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

| Chemical name                            | %     | CAS-No. / EC No.       | REACH Registration No. | Index No.    | Notes  |
|--|-------|------------------------|------------------------|--------------|--|
| Benzyl benzoate                          | 1 - 3 | 120-51-4<br>204-402-9  | -                      | 607-085-00-9 | <b>Classification:</b> Acute Tox. 4;H302;(ATE: 500 mg/kg), Aquatic Acute 1;H400, Aquatic Chronic 2;H411  |
| Galaxolide                               | ≤ 1   | 1222-05-5<br>214-946-9 | -                      | 603-212-00-7 | <b>Classification:</b> Aquatic Acute 1;H400, Aquatic Chronic 1;H410  |
| Octabenzene                              | ≤ 0,3 | 1843-05-6<br>217-421-2 | -                      | -            | <b>Classification:</b> Skin Sens. 1;H317   |
| Isoeugenol                               | ≤ 0,1 | 97-54-1<br>202-590-7   | -                      | 604-094-00-X | <b>Classification:</b> Acute Tox. 4;H302;(ATE: 500 mg/kg), Acute Tox. 4;H312;(ATE: 1100 mg/kg), Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1A;H317, STOT SE 3;H335<br><b>Specific Concentration Limits:</b> Skin Sens. 1A;H317: C >= 0.01 % |
| Other components below reportable levels | 97.62 |                        |                        |              |  |

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

**Composition comments** The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed** May cause an allergic skin reaction. Dermatitis. Rash.

**4.3. Indication of any immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## SECTION 5: Firefighting measures

**General fire hazards** No unusual fire or explosion hazards noted.

### 5.1. Extinguishing media

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special fire fighting procedures** Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**For emergency responders** Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up** Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

**6.4. Reference to other sections** For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**7.2. Conditions for safe storage, including any incompatibilities** Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

**7.3. Specific end use(s)** Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Belgium. Exposure Limit Values

| Components                 | Type | Value                | Form  |
|----------------------------|------|----------------------|-------|
| Petrolatum (CAS 8009-03-8) | STEL | 10 mg/m <sup>3</sup> | Mist. |
|                            | TWA  | 5 mg/m <sup>3</sup>  | Mist. |

##### Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

| Components                 | Type | Value               |
|----------------------------|------|---------------------|
| Petrolatum (CAS 8009-03-8) | TWA  | 5 mg/m <sup>3</sup> |

##### Czech Republic. OELs. Government Decree 361

| Components                 | Type    | Value                | Form    |
|----------------------------|---------|----------------------|---------|
| Petrolatum (CAS 8009-03-8) | Ceiling | 10 mg/m <sup>3</sup> | Aerosol |
|                            | TWA     | 5 mg/m <sup>3</sup>  | Aerosol |

##### Denmark. Exposure Limit Values

| Components                 | Type | Value               | Form  |
|----------------------------|------|---------------------|-------|
| Petrolatum (CAS 8009-03-8) | TLV  | 1 mg/m <sup>3</sup> | Mist. |

##### Finland. Workplace Exposure Limits

| Components                 | Type | Value               | Form  |
|----------------------------|------|---------------------|-------|
| Petrolatum (CAS 8009-03-8) | TWA  | 5 mg/m <sup>3</sup> | Mist. |

##### Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

| Components                 | Type | Value               | Form                 |
|----------------------------|------|---------------------|----------------------|
| Petrolatum (CAS 8009-03-8) | TWA  | 5 mg/m <sup>3</sup> | Respirable fraction. |

| <b>Greece. OELs (Decree No. 90/1999, as amended)</b>  |             |              |                     |
|---|-------------|--------------|---------------------|
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      | Mist.               |
| <b>Hungary. OELs. Joint Decree on Chemical Safety of Workplaces</b>   |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> |                     |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      |                     |
| <b>Iceland. OELs. Regulation 154/1999 on occupational exposure limits</b>   |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TWA         | 1 mg/m3      | Mist.               |
| <b>Ireland. Occupational Exposure Limits</b>  |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      | Inhalable fraction. |
| <b>Italy. Occupational Exposure Limits</b>  |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      | Inhalable fraction. |
| <b>Latvia. OELs. Occupational exposure limit values of chemical substances in work environment</b>  |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> |                     |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      |                     |
| <b>Lithuania. OELs. Limit Values for Chemical Substances, General Requirements</b>  |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | STEL        | 3 mg/m3      | Fume and mist.      |
|   | TWA         | 1 mg/m3      | Fume and mist.      |
| <b>Netherlands. OELs (binding)</b>  |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      | Mist.               |
| <b>Norway. Administrative Norms for Contaminants in the Workplace</b>   |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TLV         | 1 mg/m3      | Mist.               |
| <b>Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817</b> |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      | Inhalable fraction. |
|   |             | 0 ppm        | Inhalable fraction. |
| <b>Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)</b>   |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | TWA         | 5 mg/m3      | Inhalable fraction. |
| <b>Romania. OELs. Protection of workers from exposure to chemical agents at the workplace</b>   |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> |                     |
| Petrolatum (CAS 8009-03-8)  | STEL        | 10 mg/m3     |                     |
|   | TWA         | 5 mg/m3      |                     |
| <b>Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents</b>   |             |              |                     |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| Petrolatum (CAS 8009-03-8)  | STEL        | 3 mg/m3      | Fume and mist.      |
|   |             | 15 ppm       | Fume and mist.      |

**Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents**

| Components  | Type | Value                | Form                |
|---|------|----------------------|---------------------|
|   | TWA  | 1 mg/m <sup>3</sup>  | Fume and mist.      |
|   |      | 5 ppm                | Fume and mist.      |
| <b>Spain. Occupational Exposure Limits</b>  |      |                      |                     |
| Components  | Type | Value                | Form                |
| Petrolatum (CAS 8009-03-8)  | STEL | 10 mg/m <sup>3</sup> | Mist.               |
|   | TWA  | 5 mg/m <sup>3</sup>  | Mist.               |
| <b>Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)</b> |      |                      |                     |
| Components  | Type | Value                | Form                |
| Petrolatum (CAS 8009-03-8)  | STEL | 3 mg/m <sup>3</sup>  | Mist.               |
|   | TWA  | 1 mg/m <sup>3</sup>  | Mist.               |
| <b>Switzerland. SUVA Grenzwerte am Arbeitsplatz</b>   |      |                      |                     |
| Components  | Type | Value                | Form                |
| Petrolatum (CAS 8009-03-8)  | TWA  | 5 mg/m <sup>3</sup>  | Inhalable fraction. |

|  |   |
|--|---|
| <b>Biological limit values</b>   | No biological exposure limits noted for the ingredient(s).  |
| <b>Recommended monitoring procedures</b>                                     | Follow standard monitoring procedures.  |
| <b>Derived no effect levels (DNELs)</b>                                      | Not available.  |
| <b>Predicted no effect concentrations (PNECs)</b>                            | Not available.  |
| <b>8.2. Exposure controls</b>  |   |
| <b>Appropriate engineering controls</b>                                      | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
| <b>Individual protection measures, such as personal protective equipment</b> |   |
| <b>General information</b>   | Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.   |
| <b>Eye/face protection</b>   | Wear safety glasses with side shields (or goggles). Face shield is recommended.   |
| <b>Skin protection</b>   |   |
| - <b>Hand protection</b>   | Wear appropriate chemical resistant gloves.   |
| - <b>Other</b>   | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.  |
| <b>Respiratory protection</b>  | In case of insufficient ventilation, wear suitable respiratory equipment.   |
| <b>Thermal hazards</b>   | Wear appropriate thermal protective clothing, when necessary.   |
| <b>Hygiene measures</b>  | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.  |
| <b>Environmental exposure controls</b>                                       | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.  |

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

|   |                           |
|---|---------------------------|
| <b>Physical state</b>   | Solid.                    |
| <b>Form</b>   | Solid.                    |
| <b>Colour</b>   | Red                       |
| <b>Odour</b>  | Not available.            |
| <b>Melting point/freezing point</b>                             | 40 °C (104 °F) estimated  |
| <b>Boiling point or initial boiling point and boiling range</b> | 250 °C (482 °F) estimated |
| <b>Flammability (solid, gas)</b>                                | Not available.            |
| <b>Flash point</b>  | 200 °C (392 °F) estimated |

|  |                           |
|--|---------------------------|
| <b>Auto-ignition temperature</b>               | 200 °C (392 °F) estimated |
| <b>Decomposition temperature</b>               | Not available.            |
| <b>pH</b>                                      | Not available.            |
| <b>Solubility(ies)</b>                         |                           |
| <b>Solubility (water)</b>                      | Not available.            |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.            |
| <b>Vapour pressure</b>                         | 0,127184 hPa estimated    |
| <b>Vapour density</b>                          | Not available.            |
| <b>Relative density</b>                        | Not available.            |
| <b>Particle characteristics</b>                | Not available.            |

## 9.2. Other information

**9.2.1. Information with regard to physical hazard classes** No relevant additional information available.

### 9.2.2. Other safety characteristics

|                             |                       |
|-----------------------------|-----------------------|
| <b>Density</b>              | 0,836 g/cm3 estimated |
| <b>Explosive properties</b> | Not explosive.        |
| <b>Oxidising properties</b> | Not oxidising.        |
| <b>Specific gravity</b>     | 0,83643 estimated     |

## SECTION 10: Stability and reactivity

|   |   |
|---|---|
| <b>10.1. Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>10.2. Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>10.3. Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>10.4. Conditions to avoid</b>                | Contact with incompatible materials.  |
| <b>10.5. Incompatible materials</b>             | Strong oxidising agents.  |
| <b>10.6. Hazardous decomposition products</b>   | No hazardous decomposition products are known.  |

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.  |
| <b>Skin contact</b> | May cause an allergic skin reaction.  |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation.  |
| <b>Ingestion</b>    | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. |

**Symptoms** May cause an allergic skin reaction. Dermatitis. Rash.

### 11.1. Information on toxicological effects

|  |   |
|--|---|
| <b>Acute toxicity</b>                    | Not known.  |
| <b>Skin corrosion/irritation</b>         | Due to partial or complete lack of data the classification is not possible. |
| <b>Serious eye damage/eye irritation</b> | Due to partial or complete lack of data the classification is not possible. |
| <b>Respiratory sensitisation</b>         | Due to partial or complete lack of data the classification is not possible. |
| <b>Skin sensitisation</b>                | May cause an allergic skin reaction.  |
| <b>Germ cell mutagenicity</b>            | Due to partial or complete lack of data the classification is not possible. |
| <b>Carcinogenicity</b>                   | Due to partial or complete lack of data the classification is not possible. |

**Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)**

Not listed.

|   |   |
|---|---|
| <b>Reproductive toxicity</b>                              | Due to partial or complete lack of data the classification is not possible. |
| <b>Specific target organ toxicity - single exposure</b>   | Due to partial or complete lack of data the classification is not possible. |
| <b>Specific target organ toxicity - repeated exposure</b> | Due to partial or complete lack of data the classification is not possible. |
| <b>Aspiration hazard</b>                                  | Due to partial or complete lack of data the classification is not possible. |

**Mixture versus substance information** No information available.

#### 11.2. Information on other hazards

**Endocrine disrupting properties** The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Other information** Not available.

### SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

**12.2. Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

#### 12.3. Bioaccumulative potential

##### Partition coefficient n-octanol/water (log Kow)

|                 |               |
|-----------------|---------------|
| Benzyl benzoate | 3,97          |
| Galaxolide      | 5,3           |
| Isoeugenol      | 3,04          |
| Octabenzene     | 6,96          |
|                 | 7,6 Estimated |

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

**12.6. Endocrine disrupting properties** The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7. Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 12.8. Additional information

##### Estonia Dangerous substances in soil Data

|                                |   |
|--------------------------------|---|
| Benzyl benzoate (CAS 120-51-4) | Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg |
|                                | Chemical pesticides (As the total sum of the active substances) 20 mg/kg  |
|                                | Chemical pesticides (As the total sum of the active substances) 5 mg/kg   |

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EU waste code** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

### SECTION 14: Transport information

#### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

#### RID

14.1. - 14.6.: Not regulated as dangerous goods.

#### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

#### IATA

14.1. - 14.6.: Not regulated as dangerous goods.

#### IMDG

14.1. - 14.6.: Not regulated as dangerous goods.



14.7. Maritime transport in bulk according to IMO instruments Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### UFI:

Austria: 7RJN-2RQ8-70HN-FRHM  
Belgium: 7RJN-2RQ8-70HN-FRHM  
Bulgaria: 7RJN-2RQ8-70HN-FRHM  
Croatia: 7RJN-2RQ8-70HN-FRHM  
Cyprus: 7RJN-2RQ8-70HN-FRHM  
Czech Republic: 7RJN-2RQ8-70HN-FRHM  
Denmark: 7RJN-2RQ8-70HN-FRHM  
Estonia: 7RJN-2RQ8-70HN-FRHM  
EU: 7RJN-2RQ8-70HN-FRHM  
Finland: 7RJN-2RQ8-70HN-FRHM  
France: 7RJN-2RQ8-70HN-FRHM  
Germany: 7RJN-2RQ8-70HN-FRHM  
Great Britain: 7RJN-2RQ8-70HN-FRHM  
Greece: 7RJN-2RQ8-70HN-FRHM  
Hungary: 7RJN-2RQ8-70HN-FRHM  
Iceland: 7RJN-2RQ8-70HN-FRHM  
Ireland: 7RJN-2RQ8-70HN-FRHM  
Italy: 7RJN-2RQ8-70HN-FRHM  
Latvia: 7RJN-2RQ8-70HN-FRHM  
Lithuania: 7RJN-2RQ8-70HN-FRHM  
Luxembourg: 7RJN-2RQ8-70HN-FRHM  
Malta: 7RJN-2RQ8-70HN-FRHM  
Netherlands: 7RJN-2RQ8-70HN-FRHM  
Norway: 7RJN-2RQ8-70HN-FRHM  
Poland: 7RJN-2RQ8-70HN-FRHM  
Portugal: 7RJN-2RQ8-70HN-FRHM  
Romania: 7RJN-2RQ8-70HN-FRHM  
Slovakia: 7RJN-2RQ8-70HN-FRHM  
Slovenia: 7RJN-2RQ8-70HN-FRHM  
Spain: 7RJN-2RQ8-70HN-FRHM  
Sweden: 7RJN-2RQ8-70HN-FRHM

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Isoeugenol (CAS 97-54-1)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Benzyl benzoate (CAS 120-51-4)

|   |  |
|---|--|
| <b>Other regulations</b>                | The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.  |
| <b>National regulations</b>             | Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended. |
| <b>15.2. Chemical safety assessment</b> | No Chemical Safety Assessment has been carried out.  |

## SECTION 16: Other information

### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).  
 CAS: Chemical Abstract Service.  
 CEN: European Committee for Standardization.  
 IATA: International Air Transport Association.  
 IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.  
 IMDG: International Maritime Dangerous Goods.  
 MAC: Maximum Allowed Concentration.  
 MARPOL: International Convention for the Prevention of Pollution from Ships.  
 PBT: Persistent, bioaccumulative and toxic.  
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
 STEL: Short term exposure limit.  
 TLV: Threshold Limit Value.  
 TWA: Time Weighted Average.  
 VLE: Exposure Limit Value.  
 VME: Exposure Average Value.  
 vPvB: Very persistent and very bioaccumulative.  
 Not available.

### References

#### Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

#### Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.  
 H312 Harmful in contact with skin.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.

### Revision information

None.

### Training information

Follow training instructions when handling this material.

### Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.