home fragrance

SAFETY DATA SHEET

Version #: 02

Issue date: 26-August-2022 Revision date: 26-June-2023 Supersedes date: 26-August-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

YC Cinnamon Delight Soy Tea Light 1725995EN

of the mixture

Registration number

Synonyms None 1725995EN Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General Public Use Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Yankee Candle Company (Europe) Limited Company name

Poplar Way East, Cabot Park **Company Address**

> Avonmouth **Bristol**

United Kingdom **BS11 0YH**

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Centre

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Centre

+45 82 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number 36 80 20 11 99 (Available 24 hours a day, SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

SDS EU 1725995EN Version #: 02 Revision date: 26-June-2023 Issue date: 26-August-2022

1.4. Emergency telephone number

Norway Norwegian Poison

Information Centre

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National
Toxicological Information

Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

145 (Available 24 hours a day. SDS/Product information may not be available for

Suisse the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1A

H317 - May cause an allergic skin

reaction.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: UW3P-9RRN-G0HN-R12H Belgium: UW3P-9RRN-G0HN-R12H Bulgaria: UW3P-9RRN-G0HN-R12H Croatia: UW3P-9RRN-G0HN-R12H Cyprus: UW3P-9RRN-G0HN-R12H

Czech Republic: UW3P-9RRN-G0HN-R12H Denmark: UW3P-9RRN-G0HN-R12H Estonia: UW3P-9RRN-G0HN-R12H EU: UW3P-9RRN-G0HN-R12H Finland: UW3P-9RRN-G0HN-R12H France: UW3P-9RRN-G0HN-R12H Germany: UW3P-9RRN-G0HN-R12H Great Britain: UW3P-9RRN-G0HN-R12H Greece: UW3P-9RRN-G0HN-R12H Hungary: UW3P-9RRN-G0HN-R12H Iceland: UW3P-9RRN-G0HN-R12H Ireland: UW3P-9RRN-G0HN-R12H Italy: UW3P-9RRN-G0HN-R12H Latvia: UW3P-9RRN-G0HN-R12H Lithuania: UW3P-9RRN-G0HN-R12H Luxembourg: UW3P-9RRN-G0HN-R12H Malta: UW3P-9RRN-G0HN-R12H Netherlands: UW3P-9RRN-G0HN-R12H Norway: UW3P-9RRN-G0HN-R12H Poland: UW3P-9RRN-G0HN-R12H Portugal: UW3P-9RRN-G0HN-R12H

Romania: UW3P-9RRN-G0HN-R12H Slovakia: UW3P-9RRN-G0HN-R12H Slovenia: UW3P-9RRN-G0HN-R12H Spain: UW3P-9RRN-G0HN-R12H Sweden: UW3P-9RRN-G0HN-R12H

Contains: Cinnamal, Eugenol, Isocyclemone E, Octabenzone

Hazard pictograms

Signal word Warning

Hazard statements

H317 May cause an allergic skin reaction.

1725995EN Version #: 02 Revision date: 26-June-2023 Issue date: 26-August-2022

Precautionary statements

Prevention Not applicable. Response Not applicable. Not applicable. Storage **Disposal** Not applicable.

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Cinnamal	≤ 1	104-55-2 203-213-9	-	-	
			mg/kg bw), Skin Irrit. 2;H315 quatic Chronic 3;H412	, Eye Irrit.	
Isocyclemone E	≤ 1	54464-57-2 259-174-3	-	-	
	Classification: Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 2;H	411	
Octabenzone	≤ 0,3	1843-05-6 217-421-2	-	-	
	Classification: Skin Sens	s. 1B;H317			
Eugenol	≤ 0,2	97-53-0 202-589-1	01-2119971802-33	-	
	Classification: Eye Irrit. 2	2;H319, Skin Sens. 1E	3;H317		

Other components below reportable

98.94

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information**

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. 4.2. Most important symptoms May cause an allergic skin reaction. Dermatitis. Rash.

and effects, both acute and

delayed

immediate medical attention

and special treatment needed

4.3. Indication of any

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

Material name: YC Cinnamon Delight Soy Tea Light 1725995EN

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged

containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Not available. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 on p	rotection of workers aga	inst risks of exposure to che	mical agents at work
Components	Туре	Value	
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	
Czech Republic. OELs. Government De	ecree 361		
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Exposure Limit Values			
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limits			
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Mist.

n the Work Area (DFG) Components	Туре	Value	ds of Chemical Compour
Petrolatum (CAS	TWA	5 mg/m3	Respirable fraction.
3009-03-8) Greece. OELs (Decree No. 90/199 Components	99, as amended) Type	Value	Form
<u>'</u>			
Petrolatum (CAS 3009-03-8)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Components	Chemical Safety of Workplaces Type	s Value	
Petrolatum (CAS 009-03-8)	TWA	5 mg/m3	
celand. OELs. Regulation 154/19 Components	999 on occupational exposure l Type	limits Value	Form
Petrolatum (CAS	TWA	1 mg/m3	Mist.
3009-03-8)	11		
reland. Occupational Exposure l Components	Limits Type	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.
taly. Occupational Exposure Lim		Value	Form
Petrolatum (CAS	Type TWA	5 mg/m3	Inhalable fraction.
3009-03-8)	aura limit valuas of abomical a	u batanasa in walk anvironm	.ont
.atvia. OELs. Occupational expo Components	Type	Value	ient
Petrolatum (CAS 3009-03-8)	TWA	5 mg/m3	
_ithuania. OELs. Limit Values fo	r Chemical Substances, Gener	al Requirements	
Components	Туре	Value	Form
Petrolatum (CAS	Type STEL	Value 3 mg/m3	Form Fume and mist.
Petrolatum (CAS	-		
Petrolatum (CAS 3009-03-8)	STEL	3 mg/m3 1 mg/m3	Fume and mist.
Petrolatum (CAS 8009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS	STEL	3 mg/m3	Fume and mist. Fume and mist.
Petrolatum (CAS 1009-03-8) Retherlands. OELs (binding) Components Petrolatum (CAS 1009-03-8)	STEL TWA Type TWA	3 mg/m3 1 mg/m3 Value 5 mg/m3	Fume and mist. Fume and mist. Form
Petrolatum (CAS 1009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 1009-03-8) Norway. Administrative Norms for	STEL TWA Type TWA	3 mg/m3 1 mg/m3 Value 5 mg/m3	Fume and mist. Fume and mist. Form
Petrolatum (CAS 8009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 8009-03-8) Norway. Administrative Norms for Components Petrolatum (CAS	STEL TWA Type TWA TWA or Contaminants in the Workpla	3 mg/m3 1 mg/m3 Value 5 mg/m3	Fume and mist. Fume and mist. Form Mist.
Petrolatum (CAS 8009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 8009-03-8) Norway. Administrative Norms for Components Petrolatum (CAS 8009-03-8) Poland. Ordinance of the Minister concentrations and intensities or	STEL TWA Type TWA Or Contaminants in the Workpla Type TLV or of Labour and Social Policy of	3 mg/m3 1 mg/m3 Value 5 mg/m3 ace Value 1 mg/m3 on 6 June 2014 on the maxim	Fume and mist. Fume and mist. Form Mist. Form Mist.
Petrolatum (CAS 1009-03-8) Retherlands. OELs (binding) Components Petrolatum (CAS 1009-03-8) Rorway. Administrative Norms for Components Petrolatum (CAS 1009-03-8) Poland. Ordinance of the Minister concentrations and intensities of	STEL TWA Type TWA Or Contaminants in the Workpla Type TLV or of Labour and Social Policy of	3 mg/m3 1 mg/m3 Value 5 mg/m3 ace Value 1 mg/m3 on 6 June 2014 on the maxim	Fume and mist. Fume and mist. Form Mist. Form Mist.
Petrolatum (CAS 8009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 8009-03-8) Norway. Administrative Norms for Components Petrolatum (CAS 8009-03-8) Poland. Ordinance of the Minister	STEL TWA Type TWA TYPE TWA Type TLV Tof Labour and Social Policy of harmful health factors in the workers.	3 mg/m3 1 mg/m3 Value 5 mg/m3 ace Value 1 mg/m3 on 6 June 2014 on the maximwork environment, Journal of	Fume and mist. Fume and mist. Form Mist. Form Mist. um permissible f Laws 2014, item 817
Petrolatum (CAS 3009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 3009-03-8) Norway. Administrative Norms for Components Petrolatum (CAS 3009-03-8) Poland. Ordinance of the Minister concentrations and intensities of Components Petrolatum (CAS 3009-03-8) Petrolatum (CAS 3009-03-8) Portugal. VLEs. Norm on occupations of the Contage of the Minister concentrations and intensities of Components	TWA Type TWA TWA TYPE TWA Type TLV To of Labour and Social Policy of harmful health factors in the WType TWA TWA	3 mg/m3 1 mg/m3 Value 5 mg/m3 Acce Value 1 mg/m3 On 6 June 2014 on the maximular work environment, Journal of Value 5 mg/m3 Gents (NP 1796)	Fume and mist. Fume and mist. Form Mist. Form Mist. sum permissible f Laws 2014, item 817 Form Inhalable fraction.
Petrolatum (CAS 8009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 8009-03-8) Norway. Administrative Norms for Components Petrolatum (CAS 8009-03-8) Poland. Ordinance of the Minister concentrations and intensities of Components Petrolatum (CAS 8009-03-8) Portugal. VLEs. Norm on occupate Components	STEL TWA Type TWA Type TLV To of Labour and Social Policy of harmful health factors in the WType TWA TWA Type TWA Tipe TWA	3 mg/m3 1 mg/m3 Value 5 mg/m3 Acce Value 1 mg/m3 On 6 June 2014 on the maxim work environment, Journal of Value 5 mg/m3 gents (NP 1796) Value	Fume and mist. Fume and mist. Form Mist. Form Mist. sum permissible f Laws 2014, item 817 Form Inhalable fraction.
Petrolatum (CAS 3009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 3009-03-8) Norway. Administrative Norms for Components Petrolatum (CAS 3009-03-8) Poland. Ordinance of the Minister concentrations and intensities or Components Petrolatum (CAS 3009-03-8) Portugal. VLEs. Norm on occupation of Components Petrolatum (CAS 3009-03-8) Portugal. VLEs. Norm on occupation of Components Petrolatum (CAS 3009-03-8)	TWA Type TWA TWA TYPE TWA Type TLV To of Labour and Social Policy of harmful health factors in the WType TWA TWA	3 mg/m3 1 mg/m3 Value 5 mg/m3 Acce Value 1 mg/m3 On 6 June 2014 on the maximular work environment, Journal of Value 5 mg/m3 Gents (NP 1796)	Fume and mist. Fume and mist. Form Mist. Form Mist. sum permissible f Laws 2014, item 817 Form Inhalable fraction.
Petrolatum (CAS 3009-03-8) Netherlands. OELs (binding) Components Petrolatum (CAS 3009-03-8) Norway. Administrative Norms for Components Petrolatum (CAS 3009-03-8) Poland. Ordinance of the Minister concentrations and intensities of Components Petrolatum (CAS 3009-03-8) Petrolatum (CAS 3009-03-8) Portugal. VLEs. Norm on occupations of the Contact of the Minister concentrations and intensities of Components	TWA Type TWA TWA TYPE TWA Type TLV To of Labour and Social Policy of harmful health factors in the way Type TWA TWA TWA TWA	3 mg/m3 1 mg/m3 Value 5 mg/m3 Acce Value 1 mg/m3 On 6 June 2014 on the maxim work environment, Journal of Value 5 mg/m3 Gents (NP 1796) Value 5 mg/m3	Fume and mist. Fume and mist. Form Mist. Form Mist. sum permissible f Laws 2014, item 817 Form Inhalable fraction.
Petrolatum (CAS 1009-03-8) Retherlands. OELs (binding) Components Petrolatum (CAS 1009-03-8) Romay. Administrative Norms for Components Petrolatum (CAS 1009-03-8) Poland. Ordinance of the Minister Components Petrolatum (CAS 1009-03-8) Portugal. VLEs. Norm on occupation of the Components Petrolatum (CAS 1009-03-8) Portugal. VLEs. Norm on occupation of well and the components Petrolatum (CAS 1009-03-8) Petrolatum (CAS 1009-03-8) Romania. OELs. Protection of well and the components	TWA Type TWA TYPE TWA Type TLV To of Labour and Social Policy of harmful health factors in the way Type TWA TWA TWA TWA TWA TWA TWA TW	3 mg/m3 1 mg/m3 Value 5 mg/m3 ace Value 1 mg/m3 on 6 June 2014 on the maxim work environment, Journal of Value 5 mg/m3 gents (NP 1796) Value 5 mg/m3 cal agents at the workplace	Fume and mist. Fume and mist. Form Mist. Form Mist. sum permissible f Laws 2014, item 817 Form Inhalable fraction.

Components	o. 300/2007 concerning protection Type	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Exposur	e Limits		
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environ	ment Authority (AV), Occupationa	I Exposure Limit Values (AF	S 2015:7)
Components	Туре	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwert	te am Arbeitsplatz		
Components	Туре	Value	Form
Petrolatum (CAS	TWA	5 mg/m3	Inhalable fraction

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid. **Form** Solid. Colour Dark red Odour Not available.

40 °C (104 °F) estimated Melting point/freezing point

Boiling point or initial boiling

point and boiling range

250 °C (482 °F) estimated

Flammability Not available

200,001 °C (392,002 °F) estimated Flash point

Auto-ignition temperature 200 °C (392 °F) estimated

Decomposition temperature Not available. Not available. pН Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 0.118023 hPa estimated

Density and/or relative density

0,826 g/cm3 estimated Density

Vapour density Not available. Particle characteristics Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

0.82589 estimated Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Components **Test Results Species**

Octabenzone (CAS 1843-05-6)

Acute Dermal

LD50 Rabbit > 10 g/kg

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Eugenol (CAS 97-53-0) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Specific target organ toxicity - Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

single exposure

Aspiration hazard

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

No information available.

information

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Test Results Components **Species**

Eugenol (CAS 97-53-0)

Aquatic Acute

Fish LC50 Fathead minnow (Pimephales promelas) 24 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

> 1,9 Cinnamal 2,1 2.107 Eugenol 2,49 Octabenzone 6.96 7,6 Estimated

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

No data available. This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

Eugenol (CAS 97-53-0) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number14.2. UN proper shippingNot regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.
14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number14.2. UN proper shippingNot regulated as dangerous goods.Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

 $Regulation \ (EU) \ 2019/1021 \ On \ persistent \ organic \ pollutants \ (recast), \ as \ amended$

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: UW3P-9RRN-G0HN-R12H Belgium: UW3P-9RRN-G0HN-R12H Bulgaria: UW3P-9RRN-G0HN-R12H Croatia: UW3P-9RRN-G0HN-R12H Cyprus: UW3P-9RRN-G0HN-R12H

Czech Republic: UW3P-9RRN-G0HN-R12H Denmark: UW3P-9RRN-G0HN-R12H Estonia: UW3P-9RRN-G0HN-R12H EU: UW3P-9RRN-G0HN-R12H Finland: UW3P-9RRN-G0HN-R12H France: UW3P-9RRN-G0HN-R12H Germany: UW3P-9RRN-G0HN-R12H Great Britain: UW3P-9RRN-G0HN-R12H Greece: UW3P-9RRN-G0HN-R12H Hungary: UW3P-9RRN-G0HN-R12H Iceland: UW3P-9RRN-G0HN-R12H Ireland: UW3P-9RRN-G0HN-R12H Italy: UW3P-9RRN-G0HN-R12H Latvia: UW3P-9RRN-G0HN-R12H Lithuania: UW3P-9RRN-G0HN-R12H Luxembourg: UW3P-9RRN-G0HN-R12H

Luxembourg: UW3P-9RRN-G0HN-R12H Malta: UW3P-9RRN-G0HN-R12H Netherlands: UW3P-9RRN-G0HN-R12H Norway: UW3P-9RRN-G0HN-R12H Poland: UW3P-9RRN-G0HN-R12H Portugal: UW3P-9RRN-G0HN-R12H Romania: UW3P-9RRN-G0HN-R12H Slovakia: UW3P-9RRN-G0HN-R12H Slovenia: UW3P-9RRN-G0HN-R12H Spain: UW3P-9RRN-G0HN-R12H Speden: UW3P-9RRN-G0HN-R12H Sweden: UW3P-9RRN-G0HN-R12H Sweden: UW3P-9RRN-G0HN-R12H

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Product and Company Identification: Product and Company Identification

Training information

Follow training instructions when handling this material. Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.