

Shower enclosures
Construction products regulation

Declaration of performance No. :

207994 / 0022/ 2017

- (1) Unique identification code of the product-type:

***(see list attached)**

- (2) Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

**** (see list attached)**

- (3) Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene

- (4) Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Adeo Services, 135 Rue sadi carnot, CS 00001, 59790 Ronchin - France

- (5) Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

-

- (6) System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

4

- (7) In case of the declaration of performance concerning a construction product covered by a harmonised standard:

SGS CSTC STANDARDS TECHNICAL SERVICES (SHANGHAI) CO., LTD

(name and identification number of the notified body, if relevant)

performed **testing laboratory** under system **4**

(description of the third party tasks as set out in Annex V)

and issued Testing report: **SHHL1708047474CE(SHHL1708047474CEC -01)**
SHHL1708047475CE-01(SHHL1708047474CEC-01)
SHHL1708047476CE(SHHL1708047474CEC-01)
SHHL1708047477CE-01(SHHL1708047474CEC-01)

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

- (8) In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

-

(name and identification number of the Technical Assessment Body, if relevant)

issued -

(reference number of the European Technical Assessment)

on the basis of -

(reference number of the European Assessment Document)

performed - under system -

(description of the third party tasks as set out in Annex V)

and issued -

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

(9) Declared performance

Notes to the table.

1. Column 1 shall contain the list of essential characteristics as determined in the harmonised technical specifications for the intended use or uses indicated in point 3 above.
2. For each essential characteristic listed in column 1 and in compliance with the requirements of Article 6, column 2 shall contain the declared performance, expressed by level or class, or in a description, related to the corresponding essential characteristics. The letters "NPD" (No Performance Determined) shall be indicated where no performance is declared.
3. For each essential characteristic listed in column 1, column 3 shall contain:
 - (a) dated reference of the corresponding harmonised standard and, where relevant, the reference number of the Specific or Appropriate Technical Documentation used;
 - or
 - (b) dated reference of the corresponding European Assessment Document where available and reference number of the European Technical Assessment used.

Essential characteristics (see Note 1)	Performance (see Note 2)	Harmonised technical specification (see Note 3)
Cleanability	Pass	EN 14428:2004+A1:2008
Impact resistance / shatter properties	Pass	EN 14428:2004+A1:2008
Durability	Pass	EN 14428:2004+A1:2008
-	-	-
-	-	-
-	-	-
-	-	-

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies:

-
-

(10) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Gael CONSIGNY

Asian Quality Director Global Sourcing

Authorized representative of Bruno Pottie, Director of Global Sourcing Shared Service Center

ADEO Services 135 Rue Sadi Carnot - CS 00001 59790 RONCHIN – France

(name and function)

Shanghai

(place)

22/09/2017

(date of issue)



(signature)

Shower enclosures
Construction products regulation

DECLARACIÓN DE PRESTACIONES No. :

207994 / 0022/ 2017

- (1) Código de identificación única del producto tipo:

***(see list attached)**

- (2) Tipo, lote o número de serie o cualquier otro elemento que permita la identificación del producto de construcción como se establece en el artículo 11, apartado 4:

**** (see list attached)**

- (3) Uso o usos previstos del producto de construcción, con arreglo a la especificación técnica armonizada aplicable, tal como lo establece el fabricante:

Personal hygiene

- (4) Nombre, nombre o marca registrados y dirección de contacto del fabricante según lo dispuesto en el artículo 11, apartado 5:

Adeo Services, 135 Rue sadi carnot, CS 00001, 59790 Ronchin - France

- (5) En su caso, nombre y dirección de contacto del representante autorizado cuyo mandato abarca las tareas especificadas en el artículo 12, apartado 2:

-

- (6) Sistema o sistemas de evaluación y verificación de la constancia de las prestaciones del producto de construcción tal como figura en el anexo V:

4

- (7) En caso de declaración de prestaciones relativa a un producto de construcción cubierto por una norma armonizada:

SGS CSTC STANDARDS TECHNICAL SERVICES (SHANGHAI) CO., LTD

(nombre y número de identificación del organismo notificado, si procede)

tarea realizada **testing laboratory** por el sistema **4**

(descripción de las tareas de la tercera parte como se establece en el anexo V)

y emitido Testing report: **SHHL1708047474CE(SHHL1708047474CEC -01)**
SHHL1708047475CE-01(SHHL1708047474CEC-01)
SHHL1708047476CE(SHHL1708047474CEC-01)
SHHL1708047477CE-01(SHHL1708047474CEC-01)

(certificado de constancia de prestaciones, certificado de conformidad del control de producción en fábrica, informes de ensayo o cálculo – según corresponda)

- (8) En caso de declaración de prestaciones relativa a un producto de construcción para el que se ha emitido una evaluación técnica europea:

-

(nombre y número de identificación del Organismo de Evaluación Técnica, si procede)

emitido -

(número de referencia de la evaluación técnica europea)

sobre la base de **-**

(número de referencia del documento de evaluación europeo)

tarea realizada **-** por el sistema **-**

(descripción de las tareas de la tercera parte como se establece en el anexo V)

y emitido -

(certificado de constancia de prestaciones, certificado de conformidad del control de producción en fábrica, informes de ensayo o cálculo – según corresponda)

(9) Prestaciones declaradas

Notas al cuadro:

1. La columna 1 contendrá las características esenciales determinadas en las especificaciones técnicas armonizadas para el uso o usos previstos indicados en el punto 3 siguiente.

2. Para cada característica esencial enumerada en la columna 1 y en cumplimiento de los requisitos estipulados en el artículo 6, la columna 2 contendrá la prestación declarada, expresada por niveles o clases, o en una descripción, en relación con las características esenciales correspondientes. Se indicará "NPD" (Prestación No Determinada) cuando no se declare prestación.

3. Para cada característica esencial enumerada en la columna 1, la columna 3 contendrá:

a) la referencia con fecha de la norma armonizada correspondiente y, si procede, el número de referencia de la documentación técnica específica o adecuada utilizada;

o

b) la referencia con fecha del Documento de Evaluación Técnica Europeo correspondiente, cuando esté disponible, y número de referencia de la evaluación técnica europea utilizada.

Características esenciales (ver nota 1)	Prestaciones (ver nota 2)	Especificaciones técnicas armonizadas
Cleanability	Pass	EN 14428:2004+A1:2008
Impact resistance / shatter properties	Pass	EN 14428:2004+A1:2008
Durability	Pass	EN 14428:2004+A1:2008
-	-	-
-	-	-
-	-	-
-	-	-

Cuando en virtud de los artículos 37 o 38 la documentación técnica específica ha sido utilizada, los requisitos que cumple el producto:

-

-

(10) Las prestaciones del producto identificado en los puntos 1 y 2 son conformes con las prestaciones declaradas en el punto 9.

La presente declaración de prestaciones se emite bajo la sola responsabilidad del fabricante identificado en el punto 4.

Firmado por y en nombre del fabricante por:

Gael CONSIGNY

Asian Quality Director Global Sourcing

Authorized representative of Bruno Pottier, Director of Global Sourcing Shared Service Center

ADEO Services 135 Rue Sadi Carnot - CS 00001 59790 RONCHIN – France

(nombre, cargo)

Shanghai

22/09/2017

(lugar y fecha de emisión)



(firma)

207994 / 0022/ 2017
SHHL1708047474CE

Appendix

*Model No.	**Description	**EAN Code
RE-DF40-S-C	REMIX WALK IN DEFLECTOR,40*200, SILVER PROFILE, 8MM CLEAR GLASS	3276000334071
RE-DF40-S-F	REMIX WALK IN DEFLECTOR, 40*200, SILVER , 8MM SERIGRAPHY GLASS	3276000334088
RE-DF40-S-S	REMIX WALK IN DEFLECTOR,40*200, SILVER PROFILE, 8MM SMOKED GLASS	3276000334095
RE-DF40-S-M	REMIX WALK IN DEFLECTOR,40*200, SILVER PROFILE, 8MM MIRROR GLASS	3276000334101
RE-DF40-W-C	REMIX WALK IN DEFLECTOR,40*200, WHITE PROFILE, 8MM CLEAR GLASS	3276000334118
RE-DF40-W-F	REMIX WALK IN DEFLECTOR, WHITE PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000334125
RE-DF40-B-C	REMIX WALK IN DEFLECTOR, 40*200, BLACK PROFILE, 8MM CLEAR GLASS	3276000334132
RE-DF40-N-C	REMIX WALK IN DEFLECTOR 40*200 NICKEL BRUSHED PROFILE 8MM CLEAR GLASS	3276000334408
RE-DF40-N-F	REMIX WALK IN DEFLECTOR 40*200 NICKEL BRUSH PROF 8MM PRINT SERI GLASS	3276000334415
RE-DF40-N-S	REMIX WALK IN DEFLECTOR,40*200,NICKEL BRUSHED PROFILE,8MM SMOKED GLASS	3276000334149

SHHL1708047475CE

*Model No.	**Description	**EAN Code
RE-WI80-B-C	REMIX WALK IN, 80*200, BLACK PROFILE, 8MM CLEAR GLASS	3276000334538
RE-WI80-B-S	REMIX WALK IN,80*200, BLACK PROFILE, 8MM SMOKED GLASS	3276000334583
RE-WI90-B-C	REMIX WALK IN, 90*200, BLACK PROFILE, 8MM CLEAR GLASS	3276000333876
RE-WI90-B-S	REMIX WALK IN, 90*200, BLACK PROFILE, 8MM SMOKED GLASS	3276000333883
RE-WI100-B-C	REMIX WALK IN,100*200, BLACK PROFILE, 8MM CLEAR GLASS	3276000333951
RE-WI100-B-S	REMIX WALK IN,100*200, BLACK PROFILE, 8MM SMOKED GLASS	3276000333968
RE-WI120-B-C	REMIX WALK IN, 120*200, BLACK PROFILE, 8MM CLEAR GLASS	3276000334033
RE-WI120-B-F	REMIX WALK IN, 120*200, BLACK PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000334040
RE-WI120-B-S	REMIX WALK IN,120*200, BLACK PROFILE, 8MM SMOKED GLASS	3276000334057

SHHL1708047476CE

*Model No.	**Description	**EAN Code
RE-WI80-S-C	REMIX WALK IN, 80*200, SILVER PROFILE, 8MM CLEAR GLASS	3276000334446
RE-WI80-S-F	REMIX WALK IN,80*200, SILVER PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000334453
RE-WI80-W-C	REMIX WALK IN, 80*200, WHITE PROFILE, 8MM CLEAR GLASS	3276000334514
RE-WI80-W-F	REMIX WALK IN, 80*200, WHITE PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000334521
RE-WI90-S-C	REMIX WALK IN, 90*200, SILVER PROFILE, 8MM CLEAR GLASS	3276000334590
RE-WI90-S-F	REMIX WALK IN,90*200, SILVER PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000334606
RE-WI90-W-C	REMIX WALK IN,90*200, WHITE PROFILE, 8MM CLEAR GLASS	3276000333852
RE-WI90-W-F	REMIX WALK IN,90*200, WHITE PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000333869
RE-WI100-S-C	REMIX WALK IN,100*200, SILVER PROFILE, 8MM CLEAR GLASS	3276000333906
RE-WI100-S-F	REMIX WALK IN,100*200, SILVER PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000333913
RE-WI100-W-C	REMIX WALK IN, 100*200, WHITE PROFILE, 8MM CLEAR GLASS	3276000333937
RE-WI100-W-F	REMIX WALK IN, 100*200, WHITE PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000333944
RE-WI120-S-C	REMIX WALK IN, 120*200, SILVER PROFILE, 8MM CLEAR GLASS	3276000333982
RE-WI120-S-F	REMIX WALK IN, 120*200, SILVER PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000333999
RE-WI120-W-C	REMIX WALK IN,120*200, WHITE PROFILE, 8MM CLEAR GLASS	3276000334019
RE-WI120-W-F	REMIX WALK IN,120*200, WHITE PROFILE, 8MM PRINT SERIGRAPHY GLASS	3276000334026

SHHL1708047477CE

*Model No.	**Description	**EAN Code
RE-WI80-S-S	REMIX WALK IN, 80*200, SILVER PROFILE, 8MM SMOKED GLASS	3276000334507
RE-WI80-N-S	REMIX WALK IN, 80*200, NICKEL BRUSHED PROFILE, 8MM SMOKED GLASS	3276000334576
RE-WI90-S-S	REMIX WALK IN, 90*200, SILVER PROFILE, 8MM SMOKED GLASS	3276000333838
RE-WI90-S-M	REMIX WALK IN, 90*200, SILVER PROFILE, 8MM MIRROR GLASS	3276000333845
RE-WI90-N-S	REMIX WALK IN,90*200, NICKEL BRUSHED PROFILE, 8MM SMOKED GLASS	3276000333890
RE-WI100-S-S	REMIX WALK IN,100*200, SILVER PROFILE, 8MM SMOKED GLASS	3276000333920

RE-WI100-N-S	REMIX WALK IN,100*200, NICKEL BRUSHED PROFILE, 8MM SMOKED GLASS	3276000333975
RE-WI120-S-S	REMIX WALK IN,120*200, SILVER PROFILE, 8MM SMOKED GLASS	3276000334002
RE-WI120-N-S	REMIX WALK IN, 120*200, NICKEL BRUSHED PROFILE, 8MM SMOKED GLASS	3276000334064

Remark:For batch number, please refer to the product