

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N.Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA:01993201209-C.S.:115.000,00€i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza ART 7356: Piastrine attrattive DEL 17/11/2021

SEZIONE 1: Identificazione della sostanza o della miscela e della società/impresa

1.1. Identificatore del prodotto

Codice: 7356
Nome commerciale: Piastrine attrattive

Registrazione Ministero della Salute n 18933

1.2. Pertinenti usi identificati della sostanza o miscela e usi sconsigliati

Descrizione/Utilizzo: **PC8: Prodotti biocidi (per esempio, disinfettanti, antiparassitari).**

1.3. Informazioni sul fornitore della scheda di dati di sicurezza

Ragione Sociale: **EUROEQUIPE s.r.l**
Indirizzo: **via del Lavoro, 3**
Località e Stato: **40053 Valsamoggia Loc. Crespellano (BO)**
ITALIA
tel. 051/734808
fax 051/734474

e-mail della persona competente,

responsabile della scheda dati di sicurezza: **info@sandokan.com**

1.4. Numero telefonico di emergenza

Per informazioni urgenti rivolgersi a uno dei seguenti centri:

Ospedale	Città	Indirizzo	CAP	Telefono
Az. Osp. "A. Cardarelli"	Napoli	Via A. Cardarelli, 9	80131	081-7472870
CAV Policlinico "Umberto I"	Roma	V.le del Policlinico, 155	00161	06-49978000
CAV Policlinico "A. Gemelli"	Roma	Largo Agostino Gemelli, 8	00168	06-3054343
Az. Osp. "Careggi" U.O. Tossicologia Medica	Firenze	Largo Brambilla, 3	50134	055-7947819

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com








Scheda dati di sicurezza ART 7356: Piastrine attrattive DEL 17/11/2021

CAV Centro Nazionale di Informazione Tossicologica	Pavia	Via Salvatore Maugeri, 10	27100	0382-24444
Osp. Niguarda Ca' Granda	Milano	Piazza Ospedale Maggiore, 3	20162	02-66101029
Azienda Ospedaliera Papa Giovanni XXII	Bergamo	Piazza OMS, 1	24127	800883300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP):

-  Warning, Acute Tox. 4, Harmful if swallowed.  Warning, Acute Tox. 4, Harmful if inhaled.
-  Warning, Skin Irrit. 2, Causes skin irritation.
-  Warning, Eye Irrit. 2, Causes serious eye irritation.
-  Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects: No other hazards

2.1. Label elements
Hazard pictograms:



Warning

Hazard statements:

H302+H332 Harmful if swallowed or if inhaled. H315 Causes skin irritation.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
P103 Read label before use. P261 Avoid breathing vapours.
P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE if you feel unwell.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water and soap. P332+P313 If skin irritation occurs: Get medical advice/attention.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES:

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza

ART 7356: Piastrine attrattive

DEL 17/11/2021

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention. P391 Collect spillage.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

PACK2 The packing must have tactile indications of danger for blind people.

Contains

1-Octen-3-ol Lactic acid

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.2. Other hazards

vPvB Substances: None - PBT Substances: None Other

Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 80% - < 90%	Metoxy Methyl Butanol	CAS: 56539-66-3 EC: 260-252-4 REACH No.: 01-21199763 33-33	3.3/2 Eye Irrit. 2 H319
>= 10% - < 12.5%	1-Octen-3-ol	CAS: 3391-86-4 EC: 222-226-0	3.1/4/Oral Acute Tox. 4 H302 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319 3.1/4/Inhal Acute Tox. 4 H332 3.8/3 STOT SE 3 H335

			4.1/A1 Aquatic Acute 1 H400 3.1/3/Oral Acute Tox. 3 H301 3.1/3/Inhal Acute Tox. 3 H331 4.1/C1 Aquatic Chronic 1 H410
>= 1% - < 3%	Lactic acid	CAS: EC: 50-21-5 200-018-0	3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.2/1 Skin Corr. 1 H314 3.8/3 STOT SE 3 H335

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza

ART 7356: Piastrine attrattive

DEL 17/11/2021

			2.16/1 Met. Corr. 1 H290 4.1/A1 Aquatic Acute 1 H400 3.1/3/Inhal Acute Tox. 3 H331
--	--	--	--

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

After contact with skin, wash immediately with soap and plenty of water. In case of skin irritation obtain a medical examination.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of

time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Blow the nose, rinse the mouth and drink water to wash throat. Remove casualty to fresh air

and keep at rest, in a position suitable to facilitate respiration.

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed
None known

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

See what indicated at section 4.1.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture
Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use respirators with combined filters.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza ART 7356: Piastrine attrattive DEL 17/11/2021

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.

Wear respirators with combined filters if exposed to vapours/dusts/aerosols. Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

The material is solid and easy to collect.

6.3. Methods and material for containment and cleaning up

Recover the spread solid material and dispose it complying with the local and national regulations currently in force concerning waste disposal.

Wash with water and soap the surfaces on which the solid material has spread.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment. Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Store the packaged material in fresh and airy premises, protect from sunlight or direct light and from moisture.

7.3. Specific end use(s)

Bloodsucking insects attractant. Synergist for insects-trap devices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Not needed for normal use. In case of eye contact, wash thoroughly with plenty of water.

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza

ART 7356: Piastrine attrattive

DEL 17/11/2021

Protection for skin:

Not needed for normal use. In case of skin contact, wash thoroughly with water and soap.

Protection for hands:

One-time gloves.

Not needed for normal use. In case of skin contact, wash thoroughly with water and soap.

Respiratory protection:

Not needed for normal use. In case of vapours inhalation, blow the nose, rinse the mouth and drink water to wash throat.

Thermal Hazards: None

Environmental exposure controls: None

Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid absorbed by inert support (cellulose)	--	--
Odour:	Strong characteristic odour.	--	--
Odour threshold:	N.A.	--	--
pH:	2	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--

Explosive properties:	N.A.	--	--
-----------------------	------	----	----

a) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza ART 7356: Piastrine attrattive DEL 17/11/2021

Toxicological information of the main substances found in the product:

Metoxy Methyl Butanol - CAS: 56539-66-3

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4.300 mg/kg Test:

LD50 - Route: Oral - Species: Rat = 5.830 mg/kg Test: LD50 -

Route: Skin - Species: Rat > 2.000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Yes - Notes: Leggermente irritante Lactic acid - CAS: 50-215

LD50 (RAT) ORAL: 3730 MG/KG

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SANDOKAN Attractant Mats

The product is classified: Aquatic Chronic 2 - H411

Metoxy Methyl Butanol - CAS: 56539-66-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Oryzias latipes (Japanese Rice Fish) = 1000 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 1.000 mg/l - Duration h: 48 Endpoint:

LC50 - Species: Water plants = 1.000 mg/l - Duration h: 72

12.2. Persistence and degradability

None

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information



14.1. UN number

ADR-UN Number: 3077

IATA-UN Number: 3077

IMDG-UN Number: 3077

Euroequipe s.r.l. Uninomiale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza

ART 7356: Piastrine attrattive

DEL 17/11/2021

14.1. UN proper shipping name		
ADR-Shipping Name:		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-Octen-3-ol, Lactic acid)
IATA-Shipping Name:		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-Octen-3-ol, Lactic acid)
IMDG-Shipping Name:		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-Octen-3-ol, Lactic acid)
14.2. Transport hazard class(es)		
ADR-Class:	9	
ADR - Hazard identification number:		90
IATA-Class:	9	
IATA-Label:	9	
IMDG-Class:	9	
14.3. Packing group		
ADR-Packing Group:	III	
IATA-Packing group:	III	
IMDG-Packing group:	III	
14.4. Environmental hazards		
ADR-Environmental Pollutant:	Yes	
IMDG-Marine pollutant:	Marine Pollutant	
Most important toxic component:	1-Octen-3-ol	
14.5. Special precautions for user		
ADR-Subsidiary hazards:	-	
ADR-S.P.:	274 335 375 601	
ADR-Transport category (Tunnel restriction code):	3 (-)	
IATA-Passenger Aircraft:	956	
IATA-Subsidiary hazards:	-	
IATA-Cargo Aircraft:	956	
IATA-S.P.:	A97 A158 A179 A197	
IATA-ERG:	9L	
IMDG-EmS:	F-A , S-F	
IMDG-Subsidiary hazards:	-	
IMDG-Stowage and handling:	Category A SW23	
IMDG-Segregation:	-	
14.6. Transport in bulk according to Annex II of Marpol and the IBC CodeNo		

Euroequipe s.r.l Uninominale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N.Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza ART 7356: Piastrine attrattive DEL 17/11/2021

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n.

2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Where applicable, refer to the following regulatory provisions: Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

No.

SECTION 16: Other information

Text of phrases referred to under heading 3: H319 Causes serious eye irritation.

H302 Harmful if swallowed. H315 Causes skin irritation. H332 Harmful if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H301 Toxic if swallowed. H331 Toxic if inhaled.

H410 Very toxic to aquatic life with long lasting effects. H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage. H290 May be corrosive to metals.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1	3.2/1	Skin corrosion, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2

Scheda dati di sicurezza

ART 7356: Piastrine attrattive

DEL 17/11/2021

Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

1272/2008	
Acute Tox. 4, H302	Calculation method
Acute Tox. 4, H332	Calculation method
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. KSt: Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by

Euroequipe s.r.l Uninominale

Sede Legale, Amministrativa e Operativa:
Via del Lavoro, 3 - 40056 Crespellano (BO)
Tel: (+39) 051.734808 - Fax (+39) 051.734474
uff amministrativo: amministrazione@hidroself.it;
uff commerciale: commerciale.int@hidroself.it

N. Iscr. R.I.-Bo/C. Fisc.: 01466880398
P.IVA: 01993201209 - C.S.: 115.000,00 € i.v.
N. Iscr. R.A.E.E.: IT08030000004190
N. Iscr. R.N.P.: IT09060P00000913
www.hidroself.it - www.sandokan.com



Scheda dati di sicurezza ART 7356: Piastrine attrattive DEL 17/11/2021

	Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class