





Roca

NAUTA





 P 	P bar	 MAX 10		
 P 	P bar	MIN 1  5 MAX	 3 2 	
  T	°C	 80 MAX.	 65 50 	
 Q (3 bar)	l/min	 6,5	 5	 20



2




A5A302F

A5A322F




A5A602F



3



A5A212F





21 — U

20

19

18

22

23

5

- 24

150

min	33 mm
max	38 mm

27

29

14

15

2,5

1

2

24



4


19

5



A5A062F






1	-	AG0234200R
2	-	AG0223100R
3	-	AG0222900R
4	-	AG0223200R
5	-	AG0223300R
6	-	AG0196400R
7	-	AG0223400R
8	-	AG0219600R
9	-	AG0075200R
10	-	AG0085700R

11	-	AG0234300R
12	-	AG0223600R
13	-	AG0032300R
14	-	AG0110607R
15	-	A525005407
16	-	AG0036800R
17	-	A525005507
18	-	AG0213100R (2 ud)
19	-	AG0103908R (2 ud)
20	-	AG0116800R (2 ud)

21	-	AG0116700R
22	-	AG0212800R
23	-	AG0116500R
24	-	AG0134907R
25	-	AG0001907R
26	-	AG0119600R
27	-	AG0234400R
28	-	AG0174608R
29	-	AG0085300R
30	-	A525006500



A533080107ad

Roca

Roca Sanitario, S.A.
Avda. Diagonal, 513
08029 Barcelona
SPAIN
www.roca.com

933 661 266 LÍNEA DE ATENCIÓN
AL CONSUMIDOR
ESPAÑA
SERVICIO TÉCNICO
ESPAÑA



productsupport.rs@roca.net
sopORTEPRODUCTO.rs@roca.net