



CONSTRUCTION PRODUCTS DIRECTIVE CONFORMITY



20100 /TURKIYE

NATURAL STONE PRODUCTS – SLABS FOR CLADDING

Commercial Name : Travertine
Petrographic Name : Micrithic limestone
Origin : - Türkiye
Use of : Outdoor and Indoor

PROPERTIES	DECLARATION	TEST METHOD
Petrographic examination	Micrithic limestone	EN 12407
Geometric characteristics of units	Appropriate to related standards	Naked Eye
Flexural strength under concentrated load	12 Mpa	EN 12372, EN 13161
Frost resistance	NPD	EN 12371
Water absorption at atmospheric pressure	1,90%	EN 13755
Water absorption by capillary	NPD	EN 1925
Sense of touch	No Grooves and corrugations	EN 12057
Determination of resistance to ageing by	NPD	EN 14066
Real and apparent density	2,60 g/cm ³	EN 1936
Total and open porosity	4,50 g/cm ³	EN 1936
The breaking load at dowel hole	NPD	EN 1469
Fire Resistance	Class A1	96/603/EC

Harmonize Standart : TS EN 1469/Nis. 06 - Natural stone products - Slabs for cladding - Requirements

submitted by the manufacturer to initial type testing and to the further testing according to the factory production control system.

Applied Regulation :89/106/EEC

Authorized Person

Authorized Person's statue

Date

Company stamp & signature ;