




A-A



B-B





| | | | |
|-----|----------------|-----|-----------|
| H30 | 2601002 | 1 | iron |
| H26 | 0401826 | 1 | PVC |
| H25 | 0401741BL | 1 | ABS |
| H24 | 0401740BL | 1 | ABS |
| H15 | 2301007-2BL | 3 | ABS |
| H14 | 2301007-1BL | 3 | ABS |
| H3 | 2001051 | 3 | SS |
| H2 | 2001111 | 3 | SS |
| H1 | 2005004 | 3 | PP |
| P21 | 1002063BL | 1 | SS |
| P30 | 0202530845BL | 1 | PVC |
| P26 | 0202520830BL | 1 | PVC |
| P24 | LE70090050S03 | 1 | Glass |
| P23 | 3305011400BLD1 | 1 | Aluminium |
| NO. | SPARE PARTS | QTY | Material |

| | | | | | |
|----------|--------------|--------------|--|--|-----------------|
| 00 | | | | Ningbo Guanghe Sanitary Ware Co.,Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | |
| REV | Modification | | | DEL | Modification No |
| | NAME: | DATE: | | MODEL: II Exploded Views | |
| DRAWN | 610 | 2020. 03. 30 | | DWG. NO. REBS90BC | |
| CHECKED | 312 | 2020. 03. 30 | | UNIT: mm | |
| ENG APPR | 529 | 2020. 03. 30 | | Controlled range: | |
| MFG APPR | 862 | 2020. 03. 30 | | 050 | |
| | | | | SHEET 1 of 13 | |





| | | | | | | | |
|-----|----------------|-----|-----------|-----|-------------|-----|----------|
| H3 | 2001051 | 3 | SS | H30 | 2601002 | 1 | iron |
| H2 | 2001111 | 3 | SS | H26 | 0401826 | 1 | PVC |
| H1 | 2005004 | 3 | PP | H25 | 0401741BL | 1 | ABS |
| P21 | 1002063BL | 1 | SS | H24 | 0401740BL | 1 | ABS |
| P30 | 0202530845BL | 1 | PVC | H15 | 2301007-2BL | 3 | ABS |
| P26 | 0202520830BL | 1 | PVC | H14 | 2301007-1BL | 3 | ABS |
| P4 | 2905050139 | 1 | Glass | H8 | 2404001 | 1 | SILICON |
| P23 | 3305011400BLD1 | 1 | Aluminium | H7 | 0401814BL | 2 | Nylon |
| P3 | 0202271382BL | 2 | PVC | H6 | 0402813BL | 2 | ZAC |
| P2 | 3302541358BLD1 | 1 | Aluminium | H5 | 2001099 | 2 | SS |
| P1 | 3305021370BLD1 | 1 | Aluminium | H4 | 0401815 | 2 | ABS |
| NO. | SPARE PARTS | QTY | Material | NO. | SPARE PARTS | QTY | Material |

| | | | | | | | |
|----------|--------------|------------|--|--|-----------------|--------------------|-------------|
| | | | | Ningbo Guanghe Sanitary Ware Co.,Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | | | |
| 00 | | | | | | | |
| REV | Modification | | | DEL | Modification No | MODEL: | SCALE: 1:15 |
| | NAME: | DATE: | | | | III Exploded Views | |
| DRAWN | 610 | 2020.03.30 | | | | DWG. NO. | |
| CHECKED | 312 | 2020.03.30 | | | | REBS90BC | UNIT: mm |
| ENG APPR | 529 | 2020.03.30 | | | | Controlled range: | SHEET |
| MFG APPR | 862 | 2020.03.30 | | | | 050 | 2 of 13 |





| | | | | | |
|----------|--------------|--------------|--|--|-------------------------------------|
| | | | | Ningbo Guanghe Sanitary Ware Co.,Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | |
| 00 | | | | | |
| REV | Modification | | | DEL | Modification No |
| | NAME: | DATE: | | | MODEL: Size for finished product |
| DRAWN | 610 | 2020. 03. 30 | | | DWG. NO. REBS90BC |
| CHECKED | 312 | 2020. 03. 30 | | | UNIT: mm |
| ENG APPR | 529 | 2020. 03. 30 | | | Controlled range: |
| MFG APPR | 862 | 2020. 03. 30 | | | 050 |
| | | | | | SHEET 3 of 13 |



Requirments:

- 1.No obvious scratch and impurities;
- 2.Polished edges; chamfer edge C1;
- 3.Distortion less than 3mm;
- 4.This is front face, logo and printing are on front face;
- 5.Other requirements refer to GUANGHE's standard.




| | | | | | | | | |
|----------|--------------|------------|------------------------------------|-------|-----------------|---------------------------|--|--|
| 00 | | | | | | | Ningbo Guanghe Sanitary Ware Co.,Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | |
| REV | Modification | | | DATE: | Modification No | MATERIALA: TEMPERET GLASS | SCALE: 1:10 | |
| | NAME: | DATE: | Tolerances for unmarked dimensions | | | MODEL: GLASS | | |
| DRAWN | 610 | 2020.03.30 | Diameter D=2R | | TOLERANCES | MODEL NO: 2905050139 | QTY: 1 | |
| CHECKED | 312 | 2020.03.30 | 2≤D≤50 | | ±1 | DWG. NO. REBS90BC | UNIT: mm | |
| ENG APPR | 529 | 2020.03.30 | SIZE | <60 | ≥60, ≤2000 | >2000 | Controlled range: | |
| MFG APPR | 862 | 2020.03.30 | TOLERANCES | ±0.5 | ±1 | ±1.5 | SHEET: 050 4 of 13 | |



Requirments:

- 1.No obvious scratch;
- 2.No sharp edge, no powder on surface or inside;
- 3.Curvature less than 2mm;
- 4.tolerance for thickness ± 0.1 , tolerance for meter weight $\pm 5\%$.




| | | | | | | | | |
|----------|--------------|------------|------------------------------------|-----------|-----------------|---------------------|---|------------|
| | | | | | | | Ningbo Guanghe Sanitary Ware Co., Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | |
| 00 | | | | | | | | |
| REV | Modification | | | DATE: | Modification No | | MATERIALA: 6463-T5 | SCALE: 1:1 |
| | NAME: | DATE: | Tolerances for unmarked dimensions | | | MODEL: WALL PROFILE | QTY: 1 | |
| DRAWN | 610 | 2020.03.30 | SIZE | D≤50 | <10 | ≥10, <30 | MODEL NO: 3205011400D2 | UNIT: mm |
| CHECKED | 312 | 2020.03.30 | TOLERANCES | ±1 | ±0.2 | ±0.5 | DWG. NO. REBS90BC | |
| MFG APPR | 529 | 2020.03.30 | SIZE | ≥30, <100 | ≥100, <1200 | ≥1200 | Controlled range: | SHEET: |
| ENG APPR | 862 | 2020.03.30 | TOLERANCES | ±0.8 | ±1 | ±1.5 | 050 | 5 of 13 |



Requirments:

- 1.No obvious scratch;
- 2.No sharp edge, no powder on surface or inside;


| | | | | | | | | |
|----------|--------------|--------------|------------------------------------|-----------|-----------------|-------------------------|--|------------|
| | | | | | | | Ningbo Guanghe Sanitary Ware Co.,Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | |
| 00 | | | | | | | | |
| REV | Modification | | | DATE: | Modification No | MATERIALA: PVC | | SCALE: 1:1 |
| | NAME: | DATE: | Tolerances for unmarked dimensions | | | MODEL: hard seal | | QTY: 1 |
| DRAWN | 610 | 2020. 03. 30 | SIZE | <3 | ≥3, <10 | ≥10, <30 | MODEL NO: REBS90BC | |
| CHECKED | 312 | 2020. 03. 30 | TOLERANCES | ±0.15 | ±0.2 | ±0.5 | DWG. NO. 0202520830BL | |
| ENG APPR | 529 | 2020. 03. 30 | SIZE | ≥30, <100 | ≥100, <1200 | ≥1200 | Controlled range: | |
| MFG APPR | 862 | 2020. 03. 30 | TOLERANCES | ±0.8 | ±1 | ±1.5 | 050 8 of 13 | |



Requirments:


- 1.No obvious scratch;
- 2.No sharp edge, no powder on surface or inside;

| | | | | | | | | |
|----------|--------------|------------|------------------------------------|--|-----------------|-------------------------|-------------------------------|------------|
| | | | | Ningbo Guanghe Sanitary Ware Co.,Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | | | | |
| 00 | | | | | | | | |
| REV | Modification | | | DATE: | Modification No | | MATERIALA: PVC | SCALE: 1:1 |
| | NAME: | DATE: | Tolerances for unmarked dimensions | | | MODEL: soft seal | QTY: 1 | |
| DRAWN | 610 | 2020.03.30 | SIZE | <3 | ≥3, <10 | ≥10, <30 | MODEL NO: 0202530845BL | UNIT: mm |
| CHECKED | 312 | 2020.03.30 | TOLERANCES | ±0.15 | ±0.2 | ±0.5 | DWG. NO. REBS90BC | |
| ENG APPR | 529 | 2020.03.30 | SIZE | ≥30, <100 | ≥100, <1200 | ≥1200 | Controlled range: | SHEET: |
| MFG APPR | 862 | 2020.03.30 | TOLERANCES | ±0.8 | ±1 | ±1.5 | 050 | 9 of 13 |



| NO. | Pictuer | QTY | Material |
|-----|---------|-----|----------|
| H1 | | X3 | PP |
| H2 | | X3 | SS |
| H3 | | X3 | SS |
| H14 | | X3 | ABS |
| H15 | | X3 | ABS |
| H24 | | X1 | ABS |
| H25 | | X1 | ABS |
| H26 | | X1 | ABS |
| H30 | | X1 | iron |

| | | | | | | | | |
|----------|--------------|------------|------------------------------------|-----------|---------|-----------------|--|------------|
| 00 | | | | | | | Ningbo Guanghe Sanitary Ware Co.,Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | |
| REV | Modification | | | | DATE: | Modification No | MODEL: | SCALE: 1:1 |
| | NAME: | DATE: | Tolerances for unmarked dimensions | | | | spare parts for customer installation | |
| DRAWN | 610 | 2020.03.30 | SIZE | <3 | ≥3, <10 | ≥10, <50 | DWG. NO. | UNIT: mm |
| CHECKED | 312 | 2020.03.30 | TOLERANCES | ±0.15 | ±0.2 | ±0.5 | REBS90BC | |
| ENG APPR | 529 | 2020.03.30 | SIZE | ≥50, <150 | | | Controlled range: | SHEET: |
| MFG APPR | 862 | 2020.03.30 | TOLERANCES | ±1 | | | 050 | 10 of 13 |



| NO. | Pictuer | QTY | Material |
|-----|---------|-----|----------|
| H4 | | X2 | ABS |
| H6 | | X2 | ZAC |
| H7 | | X2 | Nylon |
| H5 | | X2 | SS |

| | | | | | | | | |
|----------|--------------|------------|------------------------------------|-----------|---------|----------------------------------|---|------------|
| | | | | | | | Ningbo Guanghe Sanitary Ware Co., Ltd. Tel: 0574-88168960 Fax: 0574-87588324 | |
| 00 | | | | | | | | |
| REV | Modification | | | | DATE: | Modification No | MODEL: | SCALE: 1:1 |
| | NAME: | DATE: | Tolerances for unmarked dimensions | | | spare parts for pre-installation | | |
| DRAWN | 610 | 2020.03.30 | SIZE | <3 | ≥3, <10 | ≥10, <50 | DWG. NO. | UNIT: mm |
| CHECKED | 312 | 2020.03.30 | TOLERANCES | ±0.15 | ±0.2 | ±0.5 | REBS90BC | |
| ENG APPR | 529 | 2020.03.30 | SIZE | ≥50, <150 | | | Controlled range: | SHEET: |
| MFG APPR | 862 | 2020.03.30 | TOLERANCES | ±1 | | | 050 | 13 of 13 |