


**SEMILAVORATO IN CARTONGESSO E
FIBRA CON PROFILO IN ALLUMINIO PER
LA CREAZIONE DI LUCE LED DIRETTA
PER PARETI E SOFFITTI**

ARROW-LED™ sono pannelli in cartongesso (9,5 mm) e pannello in fibra di legno (3,0 mm), di spessore totale 12,5 mm forniti completi del profilo dissipatore in alluminio (per strip LED) e schermo in policarbonato opalino, ossia materiale ideale per essere tagliato a misura senza scheggiare la struttura. Nella confezione non sono incluse le fonti luminose.



MATERIALI

Pannelli in cartongesso e fibra con dissipatore in alluminio e copertura in policarbonato opalino.


AVVERTENZE

- L'utilizzazione e il montaggio del prodotto è esclusivamente riservato al personale esperto
- Il prodotto è monouso nel senso che le caratteristiche di durata stabilità e tenuta sono garantite per una singola applicazione e in nessun caso può essere riutilizzato in altre applicazioni

INFORMAZIONI PRODOTTO:


CODICE	LARGHEZZA [cm]	LUNGHEZZA [mm]	SPESSORE [mm]	CONFEZIONE - PZ.
NAF83001	14,5	200	12,5	5
NAF83001R01	Profilo di copertura trasparente di ricambio 200 cm			1

DIIMENSIONI:



**PLASTERBOARD SEMI-FINISHED ITEM
WITH ALUMINUM PROFILE FOR THE
CREATION OF DIRECT LIGHT WITH
STRIP LED FOR WALLS AND CEILINGS**

ARROW-LED™ are plasterboard (9,5 mm) and wood fiber panel (3,0 mm) panels, with a total thickness of 12,5 mm supplied complete with the aluminum heatsink profile (for strip LED) and opal polycarbonate screen, that is an ideal material to be cut to size without splintering the structure. Light sources are not included in the package.



MATERIALS

Plasterboard and fibreboard panels with aluminium heat sink and opal polycarbonate cover.

WARNINGS

- The use and assembly of the product is exclusively reserved for skilled staff
- The product is single-use. That means its characteristics of durability, stability and tightness are guaranteed for a single application and in no case it may be reused in other applications

PRODUCT INFORMATION:

CODE	WIDTH [cm]	LENGHT [mm]	THICKNESS [mm]	BOX - PCS
NAF83001	14,5	200	12,5	5
NAF83001R01	Spare transparent cover profile 200 cm			1

DIMENSIONS:

