

# Material Safety Data Sheet

## 1、Substance/preparation and company name :

Trade Name : **NC SEALER S77-7003**

Item Number : ”**S77-7003**”

Company: TONG JOU CHEMICAL INDUSTRIAL CO., LTD.

Address: Song May Industrial Zone ,Bac Son Commune ,Trang Bom District, Dong Nai Province

Tel : 0251.3968039 -3968042 fax : 0251.3968043 - 3968401

Emergency / Fax : 0251.3968039 -3968042 / fax : 0251.3968043 - 3968401

## 2、Reorganization of hazard information

Classification of Hazards :

Flammable liquids : level3

Irritate the skin : level3

Causes eye Irritate : level 2.

Expression of the Sign:

Sign : exclamation mark ,flame.

Warning message :

Swallow may cause harmful result

To cause irritancy for skin

To cause irritancy for eyes

Methods to Avoid harmful result :

Set the vessels in adequately ventilated place.

Avoid contact with eyes.

Do not pour into the drain.

Wear the protective glove.

Thoroughly cleans the bands after using.

Wears protector for eyes/face.

**Other Possible hazards :**



## 2、Composition/information on ingredients :

COMPONENT	PERCENT (%)	CAS .NO
Resin	30~40	63148-69-6/9004-70-0
Solvent	50~60	1330-20-7/141-78-6/105-46-4
Powder	<5	14807-96-6
Additive	<5	---

## 4、First aid measures :

Different methods for fist aid :

**If Inhaled:** 1. Moving the patient to air fresh place immediately. 2. if respiratory irritation develops or if breathing becomes difficult, help patients to get CPR. 3. Summon medical help.

**On Skin contact:** 1. For direct contact, washing with soap and clean water. 2. Contact by clothes, must take out the clothes immediately using soap and water to flush the skin. 3. Summon medical help.

# Material Safety Data Sheet

<b>On Eye contact:</b> 1. Wash affected eyes for at least 15 minutes under running water with eyelids held open. 2. Summon medical help and consult an eye specialist.
<b>On ingestion:</b> 1. Do not induce vomiting and summon medical help.
Most important symptom and harmful effect : ---
The protection for medical care personnel: wears anti-seepage glove to avoid contact pollutant.
Suggestion for doctor : ---

## 5、Fire fighting and measures :

Suitable extinguishing media : carbon dioxide (CO <sub>2</sub> ) 、 Foam, dry extinguishing media.
The passable dangerous during fire fighting : ---
Special Fire Fighting Procedures : the water is not suitable to use for fight fire, but the water may absorb heat by mist form or droplet form, cools down the vessel and protect exposition material.
Special protect equipment for fire fighter : fire fighter should wear chemical-resistant clothes and use self-contained breathing apparatus.

## 6、Accidental release measures :

<b>Handling precautions</b> : In accordance with good industrial practice, handle with care and avoid unnecessary personal contact. Protective glasses. Suitable gloves. Protective clothing.
<b>Precautions with respect to environment</b> : 1. Change fresh air into Pollutant area. 2. Suppresses or elimination all possible fire hazards ◦ 3. Inform government relative department and environment protect organization. Avoid discharge into the environment. Stop leaks as soon as possible. Clean up spillage immediately.
<b>Clean up method</b> : 1. Avoid discharge into the environment ◦ 2. Avoided pollutant enters sewer, the drainage or the airtight space. 3. Contain spill if possible ◦ 4. Absorb with mineral filler ( such as sand, diatomaceous earth... ) ◦ 5. The absorption and releases must put in the suitable vessel with caps and indicates. ◦ 6. Seeking the assistance from fire fighting organization ◦ 7. Wear appropriate personal protective equipment ◦

## 7、Safety Handling and storage :

<b>Handling</b> : 1. Using ignitable liquid vessel in workplace. 2. Keep away from sources of fire and no smoking ◦ 3. Use in fresh air. 4. Have fire-fighting. 5. The storage has label and keep container tightly closed when not in use ◦
<b>Storage</b> : Keep container tightly close and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of fire and heat. Keep container tightly closed when not in use. Take precautionary measures against electrostatic loading. Have fire-fighting.

## 8、Exposure controls and personal protection :

<b>Engineering controls</b> : 1. Use in well-ventilated place. Keep away from sources of fire ° 2. Keep container tightly closed when not in use °			
Control data			
TWA	STEL	CEILING	BEI

# Material Safety Data Sheet

---	---	---	LD50 : --- LC50 : ---
Personal protective equipment : breathing protector Hand protection: chemical resistant gloves Eye protection: goggles. Skin and body: Pinafore, safety shower, eye bath and working shoes.			
General safety and hygiene measures : 1. Change contaminated clothing, clean whole body after working 2. Do not eat, drink or smoke in work place. 3. After work, washing hands thoroughgoing. 4. keep work place cleaning. °			

## 9、Physical and chemical properties :

Appearance: liquid-milk	Odour : light aromatic
Colour: milk	Boiling Point : No information
pH : NA	Flash Point : 75°C -110°C (test method: close the cup)
Autoignition Temperature : No information	Solubility : No information
Vapor Pressure : 4.5 kPa (Xylene) at 0°C/32°F	Auto-ignition temperature: No information
Density: abt 1-1.015 g/cm <sup>3</sup> at 15°C	Orther: No information

## 10、Stability and reactivity :

Stability : stable °
Hazard reaction under special condition : ---
Avoid situation : Avoid direct sunlight and contact with heat sours
Avoid material : oxide
Hazard resolvent : ---

## 11、Toxicological information :

Acute effects : Skin : skin irritation ° Eyes : eye irritation °				
Partial effects : ---				
Sensitiveness : may cause allergy to skin sensitive people				
Short and long term affect to human body :				
1. May cause dry skin and skin irritation.				
Special affect : ---				
Acute toxicity				
Xylene	LD50	>2000<5000 mg/kg	oral	rat

## 12、Ecological information :

Possibilities to affect the environment : Do not allow enter soil, waterways or waste water.
--

## 13、Disposal considerations :

<b>Disposal considerations</b> : Must be disposed of by special means, e.g. suitable incineration, in accordance with local regulations.
--

# Material Safety Data Sheet

## 14、Transport information：

International transport regulations：---
United nation series number：UN-1263 Proper shipping name：paint Packing group：III
Domestic transportation regulations：1. Traffic safety precaution no.84. 2. Shipping regulation for dangerous material. 3. Taiwan railroad loading regulation for dangerous material.
Methods and notes for special transportation：---
Regulations on transportation of dangerous goods of Vietnam: - Decree No. 42/2020/ND-CP dated April 8, 2020 of the CP regulating the list of dangerous goods, the transportation of dangerous goods by road motor vehicles and the transport of dangerous goods. on inland waterways.

## 15、Regulatory information：

Proper regulation：1. Labor safety and health regulation. 2. Danger and harmful material standard regulation. 3. Special chemical substance prevention standard. 4. Air harmful material concentration standard in work place. 5. Road traffic safety precaution. 6. Enterprise rejects clean process and standard.
1. Status of declaration and registration in countries and regions around the world: declaration according to toxic chemical trading control sheets and precursor tracking numbers 2. Hazard classification by country of declaration and registration: 8 3. Technical regulations to be complied with: - Law on Chemicals No. 06/2007/QH12 dated 21/11/2007 - Decree No. 113/2017/ND-CP dated October 9, 2017 of the Government detailing and guiding the implementation of a number of articles of the Law on Chemicals - Decree No. 17/2020/ND-CP dated February 5, 2020 of the Government amending and supplementing a number of articles of the Decrees related to business conditions in the field of state management of the Ministry of Industry and Trade. - Decree No. 42/2020/ND-CP dated April 8, 2020 of the Government stipulating the list of dangerous goods, transporting dangerous goods by road motor vehicles and transporting dangerous goods. danger on inland waterways - Circular No. 32/2017/TT-BCT dated December 28, 2017 of the Ministry of Industry and Trade detailing and guiding the implementation of a number of articles of the Law on Chemicals and Decree No. 113/2017/ND-CP dated 09 October 2017 of the Government detailing and guiding the implementation of a number of articles of the Law on Chemicals - Circular No. 37/2020/TT-BCT dated November 30, 2020 of the Ministry of Industry and Trade stipulating the list of dangerous goods that must be packed in the process of transporting and transporting dangerous goods by mechanical means of transport. road, rail and inland waterways - National technical regulation QCVN 05A:2020/BCT on safety in production, trading, use, preservation, transportation of dangerous chemicals and legal regulations related to the field of conditional chemicals in the industrial field.

## 16、Other information：

Reference	1. Country of labor affair emergency reaction index. 2. Industrial Technology Research
-----------	--

# Material Safety Data Sheet

	Institute material safety data sheet. 3. Central library publisher chemical industry Encyclopedia
Company	Name : TONG JOU CHEMICAL INDUSTRIAL CO., LTD.
	Address : Song May Industrial Zone ,Bac Son Commune ,Trang Bom District, Nong Nai Province <b>Tel</b> : 0251.3968039 -3968042 <b>fax</b> : 0251.3968043 - 3968401