

MSDS NO.: S001T2305040006 Creation Date: May 4, 2023

Applicant: Ningbo Fuhua Chemicals and Building Materials Co., Ltd.

Address: No. 25 Shengmei North Road, High tech Zone, Ningbo City

### **Product information:**

Product name: ANAEROBIC ADHESIVE FH188; ANAEROBIC SEALANT FH188

Product model: None

Product ingredients/materials (provided by applicant): See section 3 "Composition/Information on Ingredient" of

below attached Material Safety Data Sheet (MSDS)

Date: 26/4/2023 to 4/5/2023

Required services : Prepare below MSDS report according to the sample data provided by the applicant

Abstract According to applicant's requirements, the content and format of this MSDS is prepared

according to the ninth revised edition of "Globally Harmonized System of Classification and

Labeling of Chemicals (GHS)". For details, please refer to below attached report



Product Name: ANAEROBIC ADHESIVE FH188; ANAEROBIC SEALANT FH188 Page 1/8 MSDS NO.: S001T2305040006 Creation Date: May 4, 2023

# Material Safety Data Sheet (MSDS)

In accordance with GHS Rev. 9

ghe Fabus Chemicals and Building Materials Co., Eel. 25 Stangenst North Boad, High tech Jose, Naghe City

# **Section 1 - Chemical Product and Company Identification**

#### 1.1 Product Identification:

Product Name: ANAEROBIC ADHESIVE FH188; ANAEROBIC SEALANT FH188

Product Model: None

Product description: Pale yellow transparent Viscous liquid, Weak odor

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: No data available Use advised against: No data available

## 1.3 Details of the Manufacture or supplier

Manufacturer: Address: Telephone:

Email:

1.4 Emergency telephone number

**Emergency Telephone:** 

## **Section 2 - Hazards Identification**

# 2.1 Classification of the substance or mixture

GHS Classification: Skin corrosion/irritation Category 2;

Skin sensitization Category 1;

Serious eye injury/eye irritation Category 2A.

# 2.2 GHS Label elements, including precautionary statements

Pictogram(s):

**(!**)

Signal Word: Warning

Hazard Statement: H315 Causes skin irritation

H317 May cause skin allergic reaction H319 Causes serious eye irritation

Precautionary statements: P261 Avoid breathing dust/smoke/gas/smoke/vapor/spray.

MSDS NO.: S001T2305040006

Page 2/9

Creation Date: May 4, 2023

P264 Wash face and hands thoroughly after operation.

P272 Contaminated work clothes shall not be taken out of the workplace.

P280 Wear protective gloves/protective clothing/protective goggles/protective mask.

P363 The contaminated clothes can be reused after cleaning.

P302+P352 In case of skin contamination: wash with plenty of soap and water.

P304+P340 If inhaled by mistake: transfer the victim to a place with fresh air and maintain a comfortable rest position.

P337+P313 If you still feel eye irritation: seek medical advice.

P305+P351+P338 In case of eye contact: rinse carefully with water for several minutes. If you wear contact lenses and can take them out easily, take them out. Continue flushing.

P501 Dispose of contents/containers according to local/regional/national/international regulations.

# 2.3 Description of any hazards not otherwise classified

No information available.

# Section 3 - Composition/Information on Ingredient

Substance () Preparation () Article (√)

Composition:

Chemical name	CAS No.	Content (%)
Methacrylic acid epoxy resin	61788-97-4	60%
Hydroxypropyl methacrylate	27813-02-1	20%
Titanium dioxide	13463-67-7	5%
Insoluble saccharin	81-07-2	2%
Polyethylene Glycol Dimethacrylate	25852-47-5	13%

Note: CAS No. is Chemical Abstract Service Registry Number.

# **Section 4 - First Aid Measures**

## 4.1 Description of first aid measures:

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice/attention.

**Skin Contact:** Remove/Take off contaminated clothing. Gently wash with soap and water. If skin irritation or rash occurs:

Get medical advice/attention.

ANAEROBIC SEALANT FH188

Page 3 / 9 MSDS NO.: S001T2305040006 Creation Date: May 4, 2023

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

advice/attention if you feel unwell.

**Ingestion:** If swallowed: Rinse mouth with water. Get emergency medical help immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

# Section 5 - Extinguishing media

### 5.1 Extinguishing media

Suitable extinguishing media: Use water, foam, carbon dioxide, sand to extinguish fire.

Unsuitable extinguishing media: None.

## 5.2 Special hazards arising from the substance or mixture

Non flammable and explosive dangerous goods.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective gear. Put out the fire in the upwind direction to avoid generating dust. Do not breathe gas or fumes, cool containers with water mist, and remove unopened containers from fire in time.

#### 5.4 Further information

Use water fog to cool down unopened container involved in fire. Prevent fire extinguishing water from contaminating surface water or the ground water source.

# **Section 6 - Accidental Release Measures**

For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. See Chapter 13 for information on disposal. Observe the relevant local and international regulations.

## 6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

## **6.2 Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up:

Collect solid residues. Gather the spilled product and keep in suitable, closed containers for recycle or disposal (see section 13).

# Section 7 - Handling and Storage

# 7.1 Precautions for safe handling:

Page 4/9 ANAEROBIC SEALANT FH188 MSDS NO.: S001T2305040006 Creation Date: May 4, 2023

When handling, do not eat, drink or smoke. Protect the container from physical damage. Keep away from fire and heat sources.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a cool, ventilated warehouse. Keep container tightly closed and away from fire and heat. Storage areas should be equipped with emergency release equipment and suitable containment materials.

Avoid contact with strong acids, alkalis, strong oxidizing substances.

# **Section 8 - Exposure Controls, Personal Protection**

**8.1 Exposure Limits:** No data available.

**8.2** Exposure controls

**Engineering Control:** Provide local exhaust equipment.

Personal protective equipment:

**Respiratory Protection:** For normal contact, no special protective measures are required. Choose an appropriate filter

respirator according to the working environment.

**Eyes Protection:** For normal contact, no special protective measures are required. Wear protective glasses when

overexposure is at risk.

**Body Protection:** For normal contact, no special protective measures are required. Wear work clothes.

**Hands Protection:** For normal contact, no special protective measures are required. Wear safety gloves.

**Other Protections:** Wash hands with soap and clean water after handing. Keep the workplace clean. Pay attention to

personal hygiene.

# Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties	
Appearance	Viscous liquid
Color	Pale yellow transparent
Odor	Weak odor
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability	Non-inflammable.
Upper explosive limit %(V/V)	Not available.
Lower explosive limit %(V/V)	Not available.

ANAEROBIC SEALANT FH188 MSDS NO.: S001T2305040006

Creation Date: May 4, 2023

Page 5/9

	_
Vapor pressure	Not available.
Vapor density	Not available.
Relative density(water=1)	Not available.
Solubility(ies)	Not available.
Partition coefficient: n-octanol/water	Not available.
Ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

# **Section 10 - Stability and Reactivity**

**10.1 Stability:** Stable under normal storage temperature and pressure.

**10.2 Conditions to Avoid:** High temperature, heat source, ignition source.

**10.3 Incompatible materials:** Strong acid, strong base, strong oxidizing agents.

**10.4 Hazardous Decomposition Products:** No data available.

10.5 Possibility of hazardous reactions: None hazardous reactions known under normal condition.

# **Section 11 - Toxicological Information**

Based on available data, the classification criteria are not met. **Acute Toxicity:** 

**Skin Corrosion/Irritation:** Skin corrosion/irritation Category 2.

Serious Eye Damage/Eye Irritation: Serious eye injury/eye irritation category 2A.

Respiratory or Skin Sensitization Skin sensitization category 1.

**Germ Cell Mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity:** None of the components of this product is listed as a carcinogen by IARC,

NTP, US OSHA.

**Reproductive Toxicity:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single** Based on available data, the classification criteria are not met.

**Exposure (Globally Harmonized System):** 

**Specific Target Organ Toxicity - Repeated** Based on available data, the classification criteria are not met.

**Exposure (Globally Harmonized System):** 

**Aspiration Hazard:** Based on available data, the classification criteria are not met.

**Potential Health Effects:** None.

Inhalation: Normally there are no obvious symptoms or effects.

ANAEROBIC SEALANT FH188

Page 6 / 9 MSDS NO.: S001T2305040006 Creation Date: May 4, 2023

**Skin Contact:** Skin corrosion/irritation Category 2;Skin sensitization category 1.

**Eye Contact:** Serious eye injury/eye irritation category 2A.

**Ingestion:** Normally there are no obvious symptoms or effects.

# Section 12 - Ecological Information

## 12.1 Toxicity

No data available.

## 12.2 Persistence and degradability

No data available.

## 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Other adverse effects

No data available.

# Section 13 - Disposal Considerations

#### Waste treatment methods

This material and its container must be disposed of as hazardous waste. Offer surplus and non-recyclable products to a licensed disposal company. Observe according to the national and local related regulations.

## Contaminated packaging

Return to supplier for recycling if possible. Disposal area must comply with the environment and national safety standard.

# **Section 14 - Transport Information**

# 14.1 UN-Number

ADR/RID/ADN, IMDG, IATA Not applicable

# 14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA Not applicable

## 14.3 Transport hazard class(es)

ADR/RID/ADN, IMDG, IATA

Class Not applicable

ANAEROBIC SEALANT FH188 MSDS NO.: S001T2305040006

Creation Date: May 4, 2023

Page 7/9

Label Not applicable

14.4 Packing group

ADR/RID/ADN, IMDG, IATA Not applicable

14.5 Environmental hazards Marine pollutant

14.6 Special precautions for user Not applicable

14.7 Transport in bulk according to Not available

Annex 1 of Marpol and the IBC Code

14.8 Shipping/Additional Material The product is not classified as dangerous goods

UN "Standard Provisions" Not available

# **Section 15 - Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

# **Section 16 - Additional Information**

16.1	Reference

[1] IPCS:The International Chemical Safety Cards website: http://www.ilo.org/dyn/icsc/showcard.home

(ICSC)

[2] EU REACH Registered Substance Database website:

http://echa.europa.eu/web/guest/information-on-chemicals/regi

stered-substances

[3] OECD: The Global Portal to Information on website:

Chemical Substances, http://www.echemportal.org/echemportal/index?pageID=0&re

quest locale=en

[4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[5] NLM:ChemIDplus, website:

http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/

[7] U.S. Department of Transportation:ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg

[8] Germany GESTIS-database on hazard substance website: http://gestis-en.itrust.de/

[9] IARC website: http://www.iarc.fr/

## 16.2 Abbreviations and acronyms

PC-STEL Short term exposure limit

ANAEROBIC SEALANT FH188

Page 8 / 9 MSDS NO.: S001T2305040006 Creation Date: May 4, 2023

PC-TWA	Time Weighted Average
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration 50%
LD50	Lethal Dose 50%
EC50	Effective Concentration 50%
PBT	Persistent, Bioaccumulative, Toxic
vPvB	very Persistent, very Bioaccumulative
ADR	Agreement on Dangerous Goods by Road
IATA	International Air Transport Association
IMO	International Maritime Organization
IMDG	The International Maritime Dangerous Goods
ICAO	International Civil Aviation Organization
UN	The United Nations
NTP	National Toxicilogy Program
ACGIH	The American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety and Health Administration
NIOSH	NationalInstitute for Occupational Safety and Health

## 16.3 Disclaimer

-This safety data sheet was prepared in accordance with UN GHS Rev.9.

-The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product

## 16.4 Information on revision

MSDS Creation Date: May 4, 2023

MSDS Revision Date: -

Reason For Revision: -

MSDS Edition: 1.0