

# AMBIENTAIR

(MSDS) SAFETY DATA SHEET IN ACCORDANCE WITH REGULATION (EU) 2020/878  
FORMULA FOR REED DIFFUSER WITH CONCENTRATED FRAGRANCE  
MLFMT625 N.º 105 MINT BASIL

VERSION: 1.  
REVISION DATE: 08/03/2024.

PAGE 1 OF 9.  
PRINT DATE: 08/03/2024.

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

### 1.1 Product identifier.

Product Name: Formula for reed diffuser with concentrated fragrance.  
Fragrance Code: MLFMT625 N.º 105 Mint Basil.  
UFI: R34U-Q9CG-1Y07-QQXM  
Used in product:

EAN 13 CODE	REFERENCE	PRODUCT
8435474425790	MK500MTTO	THE OLPHACTORY CRAFT reed diffuser 500 ml Grace MINT TEA & BASIL
8435474419775	MK250MTTO	THE OLPHACTORY CRAFT reed diffuser 250 ml Grace MINT TEA & BASIL
8435474419768	MK100MTTO	THE OLPHACTORY CRAFT reed diffuser 100 ml Grace MINT TEA & BASIL
8435474420603	MK100MTBTO	THE OLPHACTORY BLACK reed diffuser 100 ml Grace MINT TEA & BASIL
8435474420467	RC250MTTO	THE OLPHACTORY refill for reed diffuser 250 ml Grace MINT TEA & BASIL

### 1.2 Relevant identified uses of the mixture and uses advised against.

Identified use: fragrance diffuser.  
Uses advised against: any use different to the recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company: Desarrollos Empresariales Igel, S.L.  
Address: Polígono Industrial Nicomedes García, Calle Roble 114.  
City: 40140 Valverde del Majano (Segovia, Spain).  
Telephone: +34 91 29 000 29.  
E-mail: info@ambientair.es  
Web: www.ambientair.es.

### 1.4 Emergency telephone number:

In case of accident, immediately call a POISON CENTER, or a doctor.  
England/Wales: NHS 111 / DIAL 111 / Scotland NHS 24 dial 111 North Ireland: contact your local GP or pharmacist during normal hours;  
www.gpoutofhours.hscni.net/ for GP services Out-of-Hours / Ireland (National Poisons Information Centre): 0035318092566.

## SECTION 2: HAZARDS IDENTIFICATION.

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:  
Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.  
Eye Irrit. 2: Causes serious eye irritation.  
Skin Sens. 1: May cause an allergic skin reaction.

### 2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word: Danger.

### H statements:

H225 Highly flammable liquid and vapour.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

### P statements:

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P242 Use non-sparkling tools.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P403+P235 Store in a well-ventilated place. Keep cool.

# AMBIENTAIR

(MSDS) SAFETY DATA SHEET IN ACCORDANCE WITH REGULATION (EU) 2020/878  
FORMULA FOR REED DIFFUSER WITH CONCENTRATED FRAGRANCE  
MLFMT625 N.º 105 MINT BASIL

VERSION: 1.  
REVISION DATE: 08/03/2024.

PAGE 2 OF 9.  
PRINT DATE: 08/03/2024.

P273 Avoid release to the environment.  
P501 Dispose of contents/container to ...

#### EUH statements:

EUH208 Contains beta-Pinene. May produce an allergic reaction.

Contains: (R)-p-mentha-1,8-diene, d-limonene, Linalool, 3,7-dimethyl- 1,6-octadien-3-ol, dl-linalool, carvone (ISO), 2-methyl-5-(prop-1-en-2-yl)cyclohex-2-en-1-one,  $\alpha$ -hexylcinnamaldehyde, cineole, 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, Eugenol, Isoeugenol.

#### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

IDENTIFIERS	NAME	CONCENTRATE	(*) CLASSIFICATION - REGULATION (EC) NO 1272/2008	
			CLASSIFICATION	SPECIFIC CONCENTRATION LIMIT
CAS No: 34590-94-8 EC No: 252-104-2 Registration No: 01-2119450011-60-XXXX	[1] [2] (2-methoxymethylethoxy)propano l	25 - 50 %	-	-
Index No: 601-029-00-7 CAS No: 5989-27-5 EC No: 227-813-5 Registration No: 01-2119529223-47-XXXX	(R)-p-mentha-1,8-diene, d-limonene	1 - 2.5 %	Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Flam. Liq. 3, H226 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
Index No: 603-235-00-2 CAS No: 78-70-6 EC No: 201-134-4 Registration No: 01-2119474016-42-XXXX	Linalool, 3,7-dimethyl- 1,6-octadien-3-ol, dl-linalool	1 - 2.5 %	Skin Sens. 1B, H317	-
CAS No: 76-22-2 EC No: 200-945-0 Registration No: 01-2119966156-31-XXXX	[1] Camphor	1 - 10 %	Acute Tox. 4, H332 - Flam. Sol. 2, H228 - STOT SE 2, H371	-
Index No: 606-148-00-8 CAS No: 99-49-0 EC No: 202-759-5	carvone (ISO), 2-methyl-5-(prop-1-en-2-yl)cyclohex-2-en-1-one	1 - 2.5 %	Skin Sens. 1, H317	-
CAS No: 101-86-0 EC No: 202-983-3	$\alpha$ -hexylcinnamaldehyde	1 - 2.5 %	Skin Sens. 1, H317	-
CAS No: 470-82-6 EC No: 207-431-5 Registration No: 01-2119967772-24-XXXX	cineole	1 - 2.5 %	Flam. Liq. 3, H226 - Skin Sens. 1, H317	-
CAS No: 68039-49-6 EC No: 268-264-1	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (	1 - 10 %	Aquatic Chronic 3, H412 - Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 97-53-0 EC No: 202-589-1 Registration No: 01-2119971802-33-XXXX	Eugenol	1 - 10 %	Eye Irrit. 2, H319 - Skin Sens. 1, H317	-
CAS No: 127-91-3 EC No: 204-872-5 Registration No: 01-2119519230-54-XXXX	beta-Pinene	0.1 - 1 %	Asp. Tox. 1, H304 - Flam. Liq. 3, H226 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
Index No: 605-019-00-3 CAS No: 5392-40-5 EC No: 226-394-6 Registration No: 01-2119462829-23-XXXX	[1] citral	0 - 1 %	Skin Irrit. 2, H315 - Skin Sens. 1, H317	-

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

\* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a Community workplace exposure limit (see section 8.1).

VERSION: 1.  
REVISION DATE: 08/03/2024.

PAGE 3 OF 9.  
PRINT DATE: 08/03/2024.

## SECTION 4: FIRST AID MEASURES.

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

## SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

### 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture.

#### Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## SECTION 6: ACCIDENTAL RELEASE MEASURES.

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

# AMBIENTAIR

(MSDS) SAFETY DATA SHEET IN ACCORDANCE WITH REGULATION (EU) 2020/878  
FORMULA FOR REED DIFFUSER WITH CONCENTRATED FRAGRANCE  
MLFMT625 N.º 105 MINT BASIL

VERSION: 1.  
REVISION DATE: 08/03/2024.

PAGE 4 OF 9.  
PRINT DATE: 08/03/2024.

For later elimination of waste, follow the recommendations under section 13.

## SECTION 7: HANDLING AND STORAGE.

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

Not available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### 8.1 Control parameters.

Work exposure limit for:

NAME	CAS NO.	COUNTRY	LIMIT VALUE	PPM	MG/M <sup>3</sup>
Camphor	76-22-2	Éire [1]	Eight hours	2	12
			Short term	3	18
		United States [2] (Cal/OSHA)	Eight hours		2
			Short term		
		United States [3] (NIOSH)	Eight hours		2
			Short term		
		United States [4] (OSHA)	Eight hours		2
			Short term		
citral	5392-40-5	Éire [1]	Eight hours	5 (Inhalation fraction vapour)	
			Short term		

[1] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[2] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[3] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[4] Occupational Safety and Health Administration, United States Department of Labour. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

NAME	DNEL/DMEL	TYPE	VALUE
(R)-p-mentha-1,8-diene, d-limonene CAS No: 5989-27-5 EC No: 227-813-5	DNEL (Workers)	Inhalation, Long-term, Systemic effects	33,3 (mg/m <sup>3</sup> )
beta-Pinene CAS No: 127-91-3 EC No: 204-872-5	DNEL (Workers)	Inhalation, Long-term, Systemic effects	5,98 (mg/m <sup>3</sup> )
citral CAS No: 5392-40-5 EC No: 226-394-6	DNEL (Workers)	Inhalation, Long-term, Systemic effects	9 (mg/m <sup>3</sup> )

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

CONCENTRATION:	100 %
USES:	FRAGRANCE DIFFUSER
BREATHING PROTECTION:	



Pol. Ind. Nicomedes García • Calle Roble 114  
40140 Valverde del Majano (Segovia, Spain)  
+34 91 29 000 29 • info@ambientair.es • www.ambientair.es



ISO 9001: 2015

If the recommended technical measures are observed, no individual protection equipment is necessary.		
HAND PROTECTION:		
PPE:	Work gloves.	
Characteristics:	«CE» marking, category I.	
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420	
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.	
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.	
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.): > 480
		Material thickness (mm): 0,35
EYE PROTECTION:		
PPE:	Face shield.	
Characteristics:	«CE» marking, category II. Face and eye protector against splashing liquid.	
CEN standards:	EN 165, EN 166, EN 167, EN 168	
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.	
Observations:	Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.	
SKIN PROTECTION:		
PPE:	Protective clothing.	
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.	
CEN standards:	EN 340	
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.	
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.	
PPE:	Work footwear.	
Characteristics:	«CE» marking, category II.	
CEN standards:	EN ISO 13287, EN 20347	
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.	
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident	



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Appearance: liquid with characteristic odour.

Colour: without colouring.

Odour: mint tea and basil.

Odour threshold: N.A./N.A.

pH: N.A./N.A.

Melting point: N.A./N.A.

Boiling Point: 181 °C

Flash point: 81 °C

Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A.

Lower Explosive Limit: N.A./N.A.

Upper Explosive Limit: N.A./N.A.

Vapour pressure: 0,058

Vapour density: N.A./N.A.

Relative density: 1,024

Solubility: N.A./N.A.

Liposolubility: N.A./N.A.

Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A.

Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: N.A./N.A.

Oxidizing properties: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

### 9.2 Other information.

Dropping point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

VERSION: 1.  
REVISION DATE: 08/03/2024.

PAGE 6 OF 9.  
PRINT DATE: 08/03/2024.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

## SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

### 10.4 Conditions to avoid.

Avoid any improper handling.

### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

### 11.1 Information on toxicological effects.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

#### a) acute toxicity;

Not conclusive data for classification.

#### b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

#### c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

#### d) respiratory or skin sensitisation;

Product classified:

Skin sensitizer, Category 1: May cause an allergic skin reaction.

#### e) germ cell mutagenicity;

Not conclusive data for classification.

#### f) carcinogenicity;

Not conclusive data for classification.

#### g) reproductive toxicity;

Not conclusive data for classification.

#### h) STOT-single exposure;

Based on available data, the classification criteria are not met.

#### i) STOT-repeated exposure;

Not conclusive data for classification.

#### j) aspiration hazard;

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information



# AMBIENTAIR

(MSDS) SAFETY DATA SHEET IN ACCORDANCE WITH REGULATION (EU) 2020/878  
FORMULA FOR REED DIFFUSER WITH CONCENTRATED FRAGRANCE  
MLFMT625 N.º 105 MINT BASIL

VERSION: 1.  
REVISION DATE: 08/03/2024.

PAGE 7 OF 9.  
PRINT DATE: 08/03/2024.

There is no information available on other adverse health effects.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

NAME	BIOACCUMULATION			
	LOG POW	BCF	NOECS	LEVEL
(R)-p-mentha-1,8-diene, d-limonene CAS No: 5989-27-5      EC No: 227-813-5	4,83	-	-	High
Camphor CAS No: 76-22-2      EC No: 200-945-0	2,34	-	-	Low
beta-Pinene CAS No: 127-91-3      EC No: 204-872-5	4,16	-	-	High

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

## SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

**Land:** Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

**Sea:** Transport by ship: IMDG.

Transport documentation: Bill of lading

**Air:** Transport by plane: ICAO/IATA.

Transport document: Airway bill.

### 14.1 UN number or ID number.

UN No: UN1266

### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 1266, PERFUMERY PRODUCTS, 3, PG III, (E)

IMDG: UN 1266, PERFUMERY PRODUCTS, 3, PG III

ICAO/IATA: UN 1266, PERFUMERY PRODUCTS, 3, PG III

### 14.3 Transport hazard class(es).

Class(es): 3

### 14.4 Packing group.



Pol. Ind. Nicomedes García • Calle Roble 114  
40140 Valverde del Majano (Segovia, Spain)  
+34 91 29 000 29 • info@ambientair.es • www.ambientair.es



ISO 9001: 2015



VERSION: 1.  
 REVISION DATE: 08/03/2024.

PAGE 8 OF 9.  
 PRINT DATE: 08/03/2024.

Packing group: III

#### 14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-E,S-D

#### 14.6 Special precautions for user.

Labels: 3



Hazard number: Not applicable.

ADR LQ: 5 L

IMDG LQ: 5 L

ICAO LQ: 10 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Proceed in accordance with point 6.

#### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

### SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

#### Volatile organic compound (VOC)

VOC content (p/p): 85,28 %

VOC content: 872,946 g/l

Product classification according to Annex I of Directive 12/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H226	Flammable liquid and vapour.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4: Acute toxicity (Inhalation), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1

Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1

Aquatic Chronic 3: Chronic effect to the aquatic environment, Category 3

Asp. Tox. 1: Aspiration toxicity, Category 1

Eye Irrit. 2: Eye irritation, Category 2

Flam. Liq. 3: Flammable liquid, Category 3



# AMBIENTAIR

(MSDS) SAFETY DATA SHEET IN ACCORDANCE WITH REGULATION (EU) 2020/878  
FORMULA FOR REED DIFFUSER WITH CONCENTRATED FRAGRANCE  
MLFMT625 N.º 105 MINT BASIL

VERSION: 1.

REVISION DATE: 08/03/2024.

PAGE 9 OF 9.

PRINT DATE: 08/03/2024.


Flam. Sol. 2: Flammable solid, Category 2  
STOT SE 2: Specific target organ toxicity following a single exposure, Category 2  
Skin Irrit. 2: Skin irritant, Category 2  
Skin Sens. 1: Skin sensitiser, Category 1  
Skin Sens. 1B: Skin sensitiser, Category 1B

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Risk classification system NFPA 704:



Abbreviations and acronyms used:

BCF: Bioconcentration factor.  
CEN: European Committee for Standardization.  
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.  
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.  
EC50: Half maximal effective concentration.  
PPE: Personal protection equipment.  
LC50: Lethal concentration, 50%.  
LD50: Lethal dose, 50%.  
Log Pow: Logarithm of the partition octanol-water.  
NOEC: No observed effect concentration.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2015/830.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.