

PRODUCT-DETAILS

N2260.3 AN

N2260.3 AN - LED rotatory/push dimmer - 2M - Anthracite



Información General

Extended Product Type	N2260.3 AN
Product ID	2CLA226030N1802
EAN	8427238138381
Catalog Description	N2260.3 AN - LED rotatory/push dimmer - 2M - Anthracite
Long Description	Color: Antracita. Tensión nominal: 230 Vac $\pm$ 10% Frecuencia: 50 Hz (potencia nominal: 250 W/VA)/60 Hz (potencia nominal: 200 W/VA) Potencia (min./máx. carga): - LEDi: 2/100 W/VA (máx. 10 lámparas) - Lámparas de ahorro de energía regulables: 2/100 W/VA (máx. 10 lámparas) - LV LEDi con transformador (solo tipo L o LC): 4/100 W/VA (máx. 10 lámparas) - Lámparas incandescentes: 10/250 W/VA. - Lámparas halógenas: 10/250 W/VA - LV halógeno con transformador (solo tipo L o LC): 10/250 W/VA (máx. 10 lámparas) Conexión de 2 cables Opcional: encendido/"Apagado" auxiliar con interruptor de 2 vías N2X02 Indicador LED de lámpara incluido Fusible de respaldo: Electrónico Protección de sobrecarga: electrónica Temperatura: 0 ° C a + 35 ° C. Tamaño: 2 módulos.

Clasificación

EAN	8427238138381
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensiones

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.08 kg

Información de Embalaje

Package Level 1 Units	1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	8427238138381

Ambiente

Ambient Air Temperature	Funcionamiento -5 ... +35 °C Almacenamiento -5 ... +50 °C
-------------------------	--

Información Adicional

Actuator Type	Turn button
Color	Anthracite
Connection Type	Screw
Degree of Protection	IP20
Frequency (f)	50...60 Hz
Load Type	Universal and LED Retrofit
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush mounted (plaster)
Product Main Type	Zenit
Product Name	N2260.3 AN - Regulador giratorio LED - Antracita
Rated Voltage (U _r)	230...230 V
Replaced Product ID (OLD)	2CL0N226038ABB
Surface Finishing	Surface protection: Decor Surface finishing: Matt

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	9AKK106930A5901
Instructions and Manuals	2CLX226039N1001

Clasificaciones

ETIM 5	EC000025 - Dimmer
ETIM 6	EC000025 - Dimmer
ETIM 7	EC000025 - Dimmer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorías

Productos y sistemas de baja tensión → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Dimmers

Productos y sistemas de baja tensión → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Dimmers

