



14

0407-CPR-879

UNI EN 1090-1:2009+A1:2011

EXECUTION OF STEEL STRUCTURES AND ALUMINIUM STRUCTURES

DECLARATION OF PERFORMANCE
N. E4801/6000

1. COD: E4801/6000

2. INTENDED USE: Tube D=42,4x2mm L=6000mm, with grain size 240.

3. PRODUCER:

IND.I.A. spa
via Vicenza, 6/14 (SS46)
36034 Malo (Vicenza) Italia

5. SYSTEM OF EVALUATION (VVCP): 2+

6a. HARMONIZED STANDARD

EN1090-1:2009+A1:2011

NOTIFIED BODY

The notified body **Istituto Giordano** issued the certificate of conformity of the factory production control n. **0407-CPR-879**, based on the following elements:

- i) initial inspection of factory and of factory production control;
- ii) monitoring, assessment and evaluation of factory production control.

7. PERFORMANCE

Geometric tolerances	EN 1090-2
Weldability	Stainless steel AISI 316 UNI EN 10088-2
Yield strength	230 N/mm ²
Reaction to fire	Class A1
Release of cadmium	Not applicable
Release of radioactivity	Not applicable
Durability	Not applicable
Structural features	Not applicable
Manufacturing	according EN 1090-2 – EXC1

8. DECLARATION: The supply of the product referred to in paragraphs 1 and 2 is in conformity with the declared performance in point 7

MALO (VI), 08.07.2015

The Legal Representative



IND.I.A. S.p.A.
Sede e Stabilimento
Via Vicenza, 6/14 - 36034 MALO (VI)
Tel. 0445/580580 - Fax 0445/580874
Partita IVA 00189160245