


| MODELO / MODEL | | MILANO SERIES | | |
|--------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|------------------------|
| FOTO / PICTURE | | | | |
| FORMATO / SIZE | | 75 X 75 cms. RECT. | | |
| GRUPO / GROUP | | B la | | |
| TIPO / TYPE | | PORCELANICO ESMALTADO / Glazed Porcelain Tile | | |
| DESCRIPCION DEL TEST / TEST DESCRIPTION | | VALOR DEL TEST / TEST VALUE |  | NORMA / STANDARD |
| ABSORCIÓN DE AGUA / WATER ABSORPTION | | AA < 0,5% | Cumple / Passed | UNE-EN-ISO 10545-3 |
| FUERZA DE ROTURA / BREAKING STRENGTH | | > 1300 N | Cumple / Passed | UNE-EN-ISO 10545-4 |
| RESISTENCIA A LA FLEXIÓN / RESISTANCE OF FLEXION | | > 35 N/mm2 | Cumple / Passed | UNE-EN-ISO 10545-4 |
| ABRASION SUPERFICIAL / SURFACE ABRASION | | Clase / Class | PEI IV | UNE-EN-ISO 10545-7 |
| RESISTENCIA AL CUARTEO / CRACKING RESISTANCE | | Requerido / Requested | Cumple / Passed | UNE-EN-ISO 10545-11 |
| RESISTENCIA A LA HELADA / FROST RESISTANCE | | Requerido / Requested | Cumple / Passed | UNE-EN-ISO 10545-12 |
| RESISTENCIA QUIMICA / CHEMICAL RESISTANCE | (PRODUCTOS DOMESTICOS Y DE PISCINA / Domestic & Swimming Pool Products) | Minimo / Minimum GB | Cumple / Passed | UNE-EN-ISO 10545-13 |
| RESISTENCIA A LOS ACIDOS / ACID RESISTANCE | | GHA | Cumple / Passed | UNE-EN-ISO 10545-13 |
| RESISTENCIA A LAS BASES / ALKALINE RESISTANCE | | GHA | Cumple / Passed | UNE-EN-ISO 10545-13 |
| RESISTENCIA A LAS MANCHAS / RESISTANCE TO STAINS | | Minimo / Minimum Class 3 | Cumple / Passed | UNE-EN-ISO 10545-14 |
| RESISTENCIA AL DESLIZAMIENTO / SLIP RESISTANCE | | Metodo Disponible / Available Method | R9 | DIN 51130:2014-5 |
| SLIP RESISTANCE | | D.C.O.F. | > 0.42 | ANSI A137. 1:2012. 9.6 |
| RESISTENCIA AL RAYADO / HARDNESS (MOHS) | | Minimo / Minimum 3 | Cumple / Passed | EN 101 |