


TRÍPODE TELESCÓPICO LUZ DE TRABAJO RECARGABLE

Características de Producto

- Cabezal de luz ajustable
- Trípode telescópico totalmente plegable: almacenamiento compacto
- Diseño plegable de configuración rápida: fácil de transportar
- Toma de carga tipo C
- 3 modos de iluminación: Baja 520 lm Media 1000 lm Alta 2000 lm
- Tamaño plegado: 950mm / Tamaño expandido: 1,6m
- Batería: 3,7 V/4000 mAh, 18650



CAT NO.	LUMINARIA (LÚMENES)	POTENCIA (W)	EFICIENCIA (Llm/W)	TIEMPO DE RECARGA	TIEMPO DE TRABAJO
LILTP200S65	2000	20	100	8h	1h al max



NORMATIVA	DESCRIPCIÓN
EN 60598-1	Luminaires – General requirements
EN 60598-2-4	Luminaires – Portable
EN 61000-3-2	Electromagnetic compatibility (EMC) – Part 3-2: Limits – for harmonic current emissions
EN 61000-3-3	Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 55015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN 61547	Equipment for general lighting purposes – EMC immunity requirements
2002/96/EC	Waste Electrical & Electronic Equipment (WEEE)
2011/65/EU	Restriction of the use of certain Hazardous Substances in EEE (RoHS)
(EC) No 1907/2006	The Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

