



0407-CPR-879

2015

UNI EN 1090-1:2009+A1:2011

DECLARATION OF PERFORMANCE
Cod.E119710092P

1. PRODUCT: POST
2. ORDER: order number
3. INTENDED USE: post h.1000mm d.42.4x2mm with n.4 GLASS CLAMPS 90°
4. PRODUCER:
IND.I.A. spa
via Vicenza, 6/14 (SS46) 36034
Malo (Vicenza) Italia
5. SYSTEM OF EVALUATION: 2+
6. NOTIFIED BODY
The notified body Istituto Giordano issued the certificate of conformity of the factory production control n. 0407-CPR-879, based on the following elements:
 - i) initial inspection of factory and of factory production control;
 - ii) monitoring, assessment and evaluation of factory production control.
7. PERFORMANCE

Geometric tolerances	EN 1090-2
Weldability	Stainless steel AISI 316 UNI EN 10088-2
Yield strength	230 N/mm2
Reaction to fire	Class A1
Release of cadmium	Not applicable
Release of radioactivity	Not applicable
Durability	Not applicable
Structural features	Not applicable
Manufacturing	according EN 1090-2 – EXC1

8. DECLARATION: The supply of the product referred to in paragraphs 1 and 2 is in conformity with the declared performance in point 7

MALO (VI), 20.01.2015

The Legal Representative


IND.I.A. S.p.A.
Sede e Stabilimento
Via Vicenza, 6/14 - 36034 MALO (VI)
Tel. 0445/580874 - Fax 0445/580874
Partita IVA: 00189160245