



TC-0159-BLA

V0

EASY SURFACE Ceiling fixture



Description

Downlights for indoor use.

For downlighting. Structure material: Aluminium. Structure finish: Matt white. Diffuser material: Acrylic. Diffuser finish: Opal. Warranty: 5 Years.

Finish

Matt white
Opal

Material

Aluminium
Acrylic

Ø120



35



TECHNICAL CHARACTERISTICS

Light source

Light source: LED MLS
Output (W): 4,6W
Total power consumption (W): 5,6W
Color temperature: Neutral white - 4000K
Real Lumen: 456
Nominal Lumen: 580
Qty Leds: 30
Lm/Real W: 114
Bin / Grup: 40-0A o 40-0B
UGR: 24.5

GEAR

Brand: LXD
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz


Luminaire

Warranty: 5 Years

Logistics


Energy Efficiency: LED A++
EAN Code: 8435381449063
Net Weight (Kg): 0.185
Weight in Kg (packaged): 0.245
Packing: 125 x 45 x 125
Masterbox: 40

The photograph may not match the reference exactly. Please read the product description to identify the finish.




ALUMINIO INYECTADO
INJECTED ALUMINIUM

ACRÍLICO
OPAL



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE



Scale 1:1

