


Performance Statement
No:02/2023/R0

Product type Identification Code: Proline 70 series Inward opening only single wing double opening window PVC, double glazing (4-16-4)
Dimension:Total outside dimensions (W x H) max. 600 mm x 1000 mm
Purpose Of Use: Window Designed For Use In Commercial Areas With Home And Similar Areas
Manufacturer: GÜRME PVC PLASTİK İNŞAAT SAN. VE TİC. A.Ş.
Address: SELVİLİTEPE OSB MAH. 1872 CAD. 196 SOK. NO:7/1 TURGUTLU-MANİSA
Conformity Verification System: System 3
Harmonized Standard: EN 14351-1:2006+A2:2016
Notified Laboratory: PFB Test Center for Components NB 1644



Declared performances; 36130465_F1ANTA 60X100 SX 70 NOCE

Basic characteristics		Performance	Harmonized Technical Specification
Uf:		1,3 W/m ² K	TS EN ISO 10077-2:2012-06
Glazing UG		1,1 W/m ² K	
Window element UW		1,35 W/m ² K	
Sound Insulation Rw (C; Ctr) dB	Area ≤ 2,7 m ²	32 (-1;-5)	TS EN 12758:2002
	2,7 m ² ≤ area ≤ 3,6 m ²	31 (-1;-5)	
	3,6 m ² ≤ area ≤ 4,6 m ²	30 (-1;-5)	
	Area > 4,6 m ²	29 (-1;-5)	
Wind load resistance		C5/B5	TS EN 12210
Air Permeability		CLASS 4	TS EN 12207
Water tightness		CLASS E750	TS EN 12208
Operating forces		CLASS 0	TS EN 13115
Carrier capacity of safety equipment		Meets requirements	14351-1
Mass pulse		NPD	TS EN 13049
Stretching, burmese and operating forces		NPD	TS EN 13115
Determination of resistance to vertical load		NPD	TS 11797 EN 947
Resistance to static torsion		NPD	TS EN 14609
Door wings - Resistance to hard object impact		NPD	TS EN 950
Fire response		NPD	TS EN 13823
Hazardous substance release		NPD	-

14351-1:2006
+A2:2016

The building material defined in this statement has the performance declared in the table above. All responsibility for this performance statement belongs only to the manufacturer whose title is mentioned above and whose signature is the following.

HARUN KOÇAK QUALITY CONTROL CHIEF Turgutlu / 07.02.2023	<i>Signature</i> GÜRME PVC PLASTİK İNŞAAT SANAYİ VE TİCARET A.Ş. Adalet Mah./Manas Bulv. Polikart Towers Blok No:47B İç Kapı No:2501 / Turgutlu / İZMİR Tel: +90 850 440 7000 / +90 232 327 3171 KARŞIYAKA V.D. 446 027 3030 Mersis No: 0446027303000021
---	---