

Performance Statement

No:02/2023/R0

Product type Identification Code: Proline 70 series Inward opening only single wing double opening window PVC, double glazing (4-16-4)

Dimension: Total outside dimensions (W x H) max. 800 mm x 1200 mm

Purpose Of Use: Window Designed For Use In Commercial Areas With Home And Similar Areas


Manufacturer: GÜRMEN PVC PLASTİK İNŞAAT SAN. VE TİC. A.Ş.

Address: SELVİLİTEPE OSB MAH. 1872 CAD. 196 SOK. NO:7/1 TURGUTLU-MANİSA

Conformity Verification System: System 3

Harmonized Standard: EN 14351-1:2006+A2:2016

Notified Laboratory: PFB Test Center for Components NB 1644



Declared performances; 36130402_F1ANTA 80X120 SX 70 NOCE

Basic characteristics		Performance	Harmonized Technical Specification	
Uf:		1,3 W/m²K	TS EN ISO 10077-2:2012-06	14351-1:2006 +A2:2016
Glazing UG		1,1 W/m²K		
Window element UW		1,35 W/m²K		
Sound Insulation Rw (C; Ctr) dB	Area ≤ 2,7 m2	32 (-1;-5)	TS EN 12758:2002	
	2,7 m2 ≤area≤3,6 m2	31 (-1;-5)		
	3,6 m² ≤area≤ 4,6 m²	30 (-1;-5)		
	Area > 4,6 m²	29 (-1;-5)		
Wind load resistance		C5/B5	TS EN 12210	
Air Permeability		CLASS 4	TS EN 12207	
Water tightness		CLASS E750	TS EN 12208	
Operating forces		CLASS 0	TS EN 13115	
Carrier capacity of safety equipment		Meets requirements	14351-1	
Mass pulse		NPD	TS EN 13049	
Stretching, burmese and operating forces		NPD	TS EN 13115	
Determination of resistance to vertical load		NPD	TS 11797 EN 947	
Resistance to static torsion		NPD	TS EN 14609	
Door wings - Resistance to hard object impact		NPD	TS EN 950	
Fire response		NPD	TS EN 13823	
Hazardous substance release		NPD	-	

The building material defined in this statement has the performance declared in the table above. All responsibility for this performance statement belongs only to the manufacturer whose title is mentioned above and whose signature is the following.

HARUN KOÇAK QUALITY CONTROL CHIEF Turgutlu / 07.02.2023	<i>Signature</i> GÜRMEN PVC PLASTİK İNŞAAT SANAYİ VE TİCARET A.Ş. Adalet Mah./Manas Bulv. Polihart Towers Blok No:47B İç Kapı No:2/01, Etiler Mah./İZMİR Tel: +90 850 441 7000 / 441 90 232 327 3171 KARSİYAKA V.D. 446 027 3030 Mersis No: 0446027303000021
---	---