



PERFORMANCE DECLARATION

According to EU BauPVO 305/2011

LE/DoP-Nr.002/70/2013-08-21

1. Sample Identification NET Model 70 mm Profil
2. Ident-Nr. 71 mm door
3. Usage Entrance door for use in housing
4. Manufacturer Europen Endüstri İnş. San. ve Tic. A.Ş.
Organize Sanayi Bölgesi 17. Cadde No: 33
26110 Eskişehir /TURKEY
5. Performance rating system System 3
6. Harmonized standard EN 14351-1: 2006+ A1:2010
7. Test Location ift Rosenheim GmbH
Theodor-Gietl-Straße 7 - 9
D-83026 Rosenheim
Nr.: NB 0757

As a notified testing laboratory under conformity system 3, has carried out the initial type test and issued the following test and classification reports:

Test Report No. 17-001907-PR01

8. Confirmed Result

Main Features	Class / value	Harmonized technical specification
9.1 Resistance to wind load	Class C1/B1	EN 14351-1: 2006+ A2:2016
9.2 Water tightness	Class 1A	EN 14351-1: 2006+ A2:2016
9.3 Thermal Transmittance	1,6 W/m ² K	EN 14351-1: 2006+ A2:2016
9.4 Air Permeability	Class 2	EN 14351-1: 2006+ A2:2016
9.5 Sound isolation	26 Db	EN 14351-1: 2006+ A2:2016

9. The declared performance classes of the product referred to in item 1 and 2 shall be the same as the declared performance according to the item 9.

Manufacturer is the responsible body for the preparation of this declaration of performance according to the item 4.

The warranty duration is 12 months in case of installation will be done by a professional montage company

Eskişehir, 27.11.2023
Place and date of issue

Stamp and Signature


Organize San. Böl. 17. Cad. No: 33 ESKİŞEHİR
Tel: 0 222 236 11 00 - Fax: 0 222 236 18 61
Eskişehir V.D. Bşk.: 011 034 2053 - Ticaret Sicil No: 16831