




Light Source Technical DataSheet

EAN	3276008000534
Product Supplier reference	GU1028DCRM
Type of product	
Supplier's address	ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN
Supplier's name or trade mark	LEXMAN
Replaceability of Light source	
Light sources maker model	GU1028DCRM
Link to EU Product Data base	https://eprel.ec.europa.eu/screen/product/lightsources/2375088
Spectral power distribution in the range 250 nm to 800 nm. at full-load	 <p>The graph shows the spectral power distribution (SPD) of the light source. The x-axis represents Wavelength (nm) from 200 to 800, and the y-axis represents relative power from 0.0 to 1.2. The spectrum features a sharp peak at approximately 450 nm (blue/violet) and a broader, multi-peaked distribution in the yellow to red range, with the highest relative power around 600 nm.</p>
The reference control settings, and instructions on how they can be implemented, where applicable	
If the light source is dimmable: a list of dimmers it is compatible with, and the light source	
If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage	Not Applicable
Recommendations on how to dispose of the light source / Driver at the end of its life Directive 2012/19/EU	Electrical product must not be thrown out with domestic waste. They must be taken to a communal collecting point for environmentally friendly disposal in accordance with local regulations. Contact your local authorities or stockist for advice on recycling.