




## Light Source Technical DataSheet

|   |   |
|---|---|
| EAN   | 3276007978155   |
| Type of product   | Light source  |
| Supplier's address  | ADEO Services - 135 rue Sadi Carnot - CS00001. 59790 RONCHIN  |
| Supplier's name or trade mark   | ZEIGER  |
| Light sources maker model   | <b>S195940ZN</b>  |
| Link to EU Product Data base  | <a href="https://eprel.ec.europa.eu/screen/product/lightsources/2611632">https://eprel.ec.europa.eu/screen/product/lightsources/2611632</a>   |
| Spectral power distribution in the range 250 nm to 800 nm. at full-load   |  <p>The graph displays the spectral power distribution (SPD) of the light source. The x-axis represents wavelength in nanometers (nm), ranging from 350 to 1000. The y-axis represents relative intensity, ranging from 0.0 to 1.2. The spectrum shows a blue peak at approximately 450 nm, a broad multi-colored peak (green to red) centered around 515 nm, and a sharp red peak at approximately 615 nm. A small numerical value '1.0 = 3.398e+001lm/ra' is visible in the top right corner of the graph area.</p> |
| If the light source contains mercury: instructions on how to clean up the debris in case of accidental breakage | Not Applicable  |

Save