

Manufacturer: Shanghai muxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.




YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Cable Protector Ramp

Model No:
CP-2U-1
CP-2U-5

Cable Protector Ramp



INSTRUCTION



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

TECHNICAL SPECIFICATIONS

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU, TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1: 955×265×50
	CP-2U-5: 965×280×250
Net Weight(kg)	CP-2U-1: 4.8
	CP-2U-5: 24
Gross Weight(kg)	CP-2U-1: 5.0
	CP-2U-5: 25.4

Manufacturer: Shanghai muxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.




YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Cable Protector Ramp

Model No: CP-5DA

Cable Protector Ramp



INSTRUCTION



Attention:

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

TECHNICAL SPECIFICATIONS

Model	CP-5DA
MaximumLoad Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36.2

Manufacturer: Shanghai muxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Cable Protector Ramp

Model No:
CP-1EV-4

Cable Protector Ramp



INSTRUCTION



Attention: M8*90 Expansion Bolts need to be fixed for installation.

TECHNICAL SPECIFICATIONS

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Manufacturer: Shanghai muxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Cable Protector Ramp

Model No:
RS1830A-1
RS1830A-2

Cable Protector Ramp



INSTRUCTION



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.

TECHNICAL SPECIFICATIONS

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1: 1850×320×60
	RS1830A-2: 1850×320×115
Net Weight(kg)	RS1830A-1: 25
	RS1830A-2: 50
Gross Weight(kg)	RS1830A-1: 27
	RS1830A-2: 52

FITTING LIST

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Manufacturer: Shanghai muxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP	E-CrossStu GmbH Mainzer Landstr. 69, 60329 Frankfurt am Main.
-----------	------------	---

UK	REP	YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX
-----------	------------	---

Cable Protector Ramp


Model No:

CP-1P-1


CP-1P-2

CP-1P-3

Cable Protector Ramp



INSTRUCTION



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversized vehicle is not recommended.

TECHNICAL SPECIFICATIONS

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1: 1035×145×25
	CP-1P-2: 1030×145×50
	CP-1P-3: 1045×150×85
Net Weight(kg)	CP-1P-1: 1.4
	CP-1P-2: 2.7
	CP-1P-3: 4.1
Gross Weight(kg)	CP-1P-1: 1.6
	CP-1P-2: 3.0
	CP-1P-3: 4.7

Producent: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, szanghaj 200000 CN.
Importowane do AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importowane do USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt nad Menem.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Biuro 147,
Dom Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa ochronna na kable

Numer modelu:

CP-2U-1

CP-2U-5

Rampa ochronna na kable




POTRZEBUJESZ POMOCY? SKONTAKTUJ SIĘ Z NAM!!

Have product questions? Need technical support?
Please feel free to contact us:

Wsparcie techniczne i certyfikat gwarancji
elektronicznej www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUKCJA



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

DANE TECHNICZNE

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU , TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1 955×265×50
	CP-2U-5 965×280×250
Net Weight(kg)	CP-2U-1 4.8
	CP-2U-5 24
Gross Weight(kg)	CP-2U-1 5.0
	CP-2U-5 25.4

Producent: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, szanghaj 200000 CN.
Importowane do AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importowane do USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt nad Menem.




YH CONSULTING LIMITED.
C/O YH Consulting Limited Biuro 147,
Dom Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Rampa ochronna na kable

Numer modelu: CP-5DA

Rampa ochronna na kable



INSTRUKCJA



DANE TECHNICZNE

Model	CP-5DA
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36,2

Attention

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

Producent: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, szanghaj 200000 CN.
Importowane do AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importowane do USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt nad Menem.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Biuro 147,
Dom Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa ochronna na kable


Numer modelu:

CP-1EV-4

Rampa ochronna na kable



INSTRUKCJA



Attention: M8*90 Expansion Bolts
need to be fixed for installation.

DANE TECHNICZNE

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Producent: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao

1602A-1609shi, baoshanqu, szanghaj 200000 CN.

Importowane do AUS: SIHAO PTY LTD, 1 ROKEVA

STREETEASTWOOD NSW 2122 Australia

Importowane do USA: Sanven Technology Ltd., Suite 250,

9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,

60329 Frankfurt nad Menem.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Biuro 147,

Dom Centurion, London Road,

Staines-upon-Thames, Surrey, TW18 4AX

Rampa ochronna na kable

Numer modelu:


RS1830A-1

RS1830A-2

Rampa ochronna na kable



INSTRUKCJA



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.


DANE TECHNICZNE

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1 1850×320×60
	RS1830A-2 1850×320×115
Net Weight(kg)	RS1830A-1 25
	RS1830A-2 50
Gross Weight(kg)	RS1830A-1 27
	RS1830A-2 52

LISTA DOPASOWAŃ

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Producent: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, szanghaj 200000 CN.
Importowane do AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importowane do USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt nad Menem.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Biuro 147,
Dom Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa ochronna na kable


Numer modelu:

CP-1P-1


CP-1P-2

CP-1P-3

Rampa ochronna na kable



INSTRUKCJA



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

DANE TECHNICZNE

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1 1035×145×25
	CP-1P-2 1030×145×50
	CP-1P-3 1045×150×85
Net Weight(kg)	CP-1P-1 1.4
	CP-1P-2 2.7
	CP-1P-3 4.1
Gross Weight(kg)	CP-1P-1 1.6
	CP-1P-2 3.0
	CP-1P-3 4.7

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Shuangchenglu 803nong11hao

1602A-1609shi, Baoshanqu, Shanghai 200000 CN.

Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelschutzrampe

Modellnummer:


CP-2U-1

CP-2U-5

Kabelschutzrampe



ANWEISUNG



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

TECHNISCHE DATEN

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU, TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1: 955×265×50
	CP-2U-5: 965×280×250
Net Weight(kg)	CP-2U-1: 4.8
	CP-2U-5: 24
Gross Weight(kg)	CP-2U-1: 5.0
	CP-2U-5: 25.4

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Shuangchenglu 803nong11hao

1602A-1609shi, Baoshanqu, Shanghai 200000 CN.

Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA

STREETEASTWOOD NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd., Suite 250,

9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,

60329 Frankfurt am Main.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147,


Centurion House, London Road,

Staines-upon-Thames, Surrey, TW18 4AX


Kabelschutzrampe

Modellnummer: CP-5DA

Kabelschutzrampe



ANWEISUNG



TECHNISCHE DATEN

Model	CP-5DA
MaximumLoad Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36,2

Attention :

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Shuangchenglu 803nong11hao

1602A-1609shi, Baoshanqu, Shanghai 200000 CN.

Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelschutzrampe


Modellnummer:

CP-1EV-4

Kabelschutzrampe



ANWEISUNG



Attention: M8*90 Expansion Bolts
need to be fixed for installation.

TECHNISCHE DATEN

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Hersteller: Shanghai muxinmuyeyouxiangongsi
Adresse: Shuangchenglu 803nong11hao
1602A-1609shi, Baoshanqu, Shanghai 200000 CN.
Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien
Importiert in die USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelschutzrampe

Modellnummer:


RS1830A-1

RS1830A-2

Kabelschutzrampe



ANWEISUNG



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.

TECHNISCHE DATEN

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1 : 1850×320×60
	RS1830A-2 : 1850×320×115
Net Weight(kg)	RS1830A-1: 25
	RS1830A-2: 50
Gross Weight(kg)	RS1830A-1: 27
	RS1830A-2: 52

PASSENDE LISTE

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Shuangchenglu 803nong11hao

1602A-1609shi, Baoshanqu, Shanghai 200000 CN.

Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.

C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelschutzrampe


Modellnummer:

CP-1P-1


CP-1P-2

CP-1P-3

Kabelschutzrampe



ANWEISUNG



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

TECHNISCHE DATEN

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1: 1035×145×25
	CP-1P-2: 1030×145×50
	CP-1P-3: 1045×150×85
Net Weight(kg)	CP-1P-1: 1.4
	CP-1P-2: 2.7
	CP-1P-3: 4.1
Gross Weight(kg)	CP-1P-1: 1.6
	CP-1P-2: 3.0
	CP-1P-3: 4.7

Fabricant : Shanghai muxinmuyeyouxiangongsi
Adresse : Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importé en Australie : SIHAO PTY LTD, 1
ROKEVA STREET, ASTWOOD NSW 2122 Australie
Importé aux États-Unis : Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Francfort-sur-le-Main.



YH CONSULTING LIMITÉE.
C/O YH Consulting Limited Bureau 147,
Maison du Centurion, London
Road, Staines-upon-Thames, Surrey, TW18 4AX

Rampe de protection de câble

Numéro de modèle :

CP-2U-1

CP-2U-5

Rampe de protection de câble




BESOIN D'AIDE? CONTACTEZ-NOUS!

Have product questions? Need technical support?
Please feel free to contact us:

Assistance technique et certificat de garantie
électronique www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTION



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

CARACTÉRISTIQUES TECHNIQUES

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1 955×265×50
	CP-2U-5 965×280×250
Net Weight(kg)	CP-2U-1 4.8
	CP-2U-5 24
Gross Weight(kg)	CP-2U-1 5.0
	CP-2U-5 25.4

Fabricant : Shanghaimuxinmuyeyouxiangongsi
Adresse : Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importé en Australie : SIHAO PTY LTD, 1
ROKEVA STREET, ASTWOOD NSW 2122 Australie
Importé aux États-Unis : Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Francfort-sur-le-Main.




YH CONSULTING LIMITÉE.
C/O YH Consulting Limited Bureau 147,
Maison du Centurion, London
Road, Staines-upon-Thames, Surrey, TW18 4AX


Rampe de protection de câble

Numéro de modèle : CP-5DA

Rampe de protection de câble



INSTRUCTION



CARACTÉRISTIQUES TECHNIQUES

Model	CP-5DA
MaximumLoad Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36,2

Attention

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

Fabricant : Shanghaimuxinmuyeyouxiangongsi
Adresse : Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importé en Australie : SIHAO PTY LTD, 1
ROKEVA STREET, ASTWOOD NSW 2122 Australie
Importé aux États-Unis : Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Francfort-sur-le-Main.



YH CONSULTING LIMITÉE.
C/O YH Consulting Limited Bureau 147,
Maison du Centurion, London
Road, Staines-upon-Thames, Surrey, TW18 4AX

Rampe de protection de câble


Numéro de modèle :

CP-1EV-4

Rampe de protection de câble



INSTRUCTION



Attention: M8*90 Expansion Bolts
need to be fixed for installation.

CARACTÉRISTIQUES TECHNIQUES

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Fabricant : Shanghaimuxinmuyeyouxiangongsi
Adresse : Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importé en Australie : SIHAO PTY LTD, 1
ROKEVA STREET, ASTWOOD NSW 2122 Australie
Importé aux États-Unis : Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Francfort-sur-le-Main.



YH CONSULTING LIMITÉE.
C/O YH Consulting Limited Bureau 147,
Maison du Centurion, London
Road, Staines-upon-Thames, Surrey, TW18 4AX

Rampe de protection de câble

Numéro de modèle :


RS1830A-1

RS1830A-2

Rampe de protection de câble



INSTRUCTION



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.


CARACTÉRISTIQUES TECHNIQUES

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1 1850×320×60
	RS1830A-2 1850×320×115
Net Weight(kg)	RS1830A-1 25
	RS1830A-2 50
Gross Weight(kg)	RS1830A-1 27
	RS1830A-2 52

LISTE DE MONTAGE

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Fabricant : Shanghaïmuxinmuyeyouxiangongsi
Adresse : Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importé en Australie : SIHAO PTY LTD, 1
ROKEVA STREET, ASTWOOD NSW 2122 Australie
Importé aux États-Unis : Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Francfort-sur-le-Main.



YH CONSULTING LIMITÉE.
C/O YH Consulting Limited Bureau 147,
Maison du Centurion, London
Road, Staines-upon-Thames, Surrey, TW18 4AX

Rampe de protection de câble


Numéro de modèle :

CP-1P-1


CP-1P-2

CP-1P-3

Rampe de protection de câble



INSTRUCTION



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

CARACTÉRISTIQUES TECHNIQUES

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1 1035×145×25
	CP-1P-2 1030×145×50
	CP-1P-3 1045×150×85
Net Weight(kg)	CP-1P-1 1.4
	CP-1P-2 2.7
	CP-1P-3 4.1
Gross Weight(kg)	CP-1P-1 1.6
	CP-1P-2 3.0
	CP-1P-3 4.7

Fabrikant: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Geïmporteerd naar AUS: SIHAO PTY LTD, 1
ROKEVA STREETEASTWOOD NSW 2122 Australië
Geïmporteerd naar de VS: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt aan de Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Kantoor 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelbeschermer helling

Model nr:


CP-2U-1

CP-2U-5

Kabelbeschermer helling



INSTRUCTIE



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

TECHNISCHE SPECIFICATIES

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU, TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1. 955×265×50
	CP-2U-5. 965×280×250
Net Weight(kg)	CP-2U-1. 4.8
	CP-2U-5. 24
Gross Weight(kg)	CP-2U-1. 5.0
	CP-2U-5. 25.4

Fabrikant: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Geïmporteerd naar AUS: SIHAO PTY LTD, 1
ROKEVA STREETEASTWOOD NSW 2122 Australië
Geïmporteerd naar de VS: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt aan de Main.




YH CONSULTING LIMITED.
C/O YH Consulting Limited Kantoor 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Kabelbeschermer helling

Modelnr: CP-5DA

Kabelbeschermer helling



INSTRUCTIE



TECHNISCHE SPECIFICATIES

Model	CP-5DA
MaximumLoad Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36,2

Attention

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

Fabrikant: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Geïmporteerd naar AUS: SIHAO PTY LTD, 1
ROKEVA STREETEASTWOOD NSW 2122 Australië
Geïmporteerd naar de VS: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt aan de Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Kantoor 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Kabelbeschermer helling

Model nr:
CP-1EV-4

Kabelbeschermer helling



INSTRUCTIE



Attention: M8*90 Expansion Bolts need to be fixed for installation.

TECHNISCHE SPECIFICATIES

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Fabrikant: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao

1602A-1609shi, baoshanqu, shanghai 200000 CN.

Geïmporteerd naar AUS: SIHAO PTY LTD, 1
ROKEVA STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,
60329 Frankfurt aan de Main.




YH CONSULTING LIMITED.

C/O YH Consulting Limited Kantoor 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelbeschermer helling

Model nr:
RS1830A-1
RS1830A-2

Kabelbeschermer helling



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.

INSTRUCTIE

TECHNISCHE SPECIFICATIES

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1 · 1850×320×60
	RS1830A-2 · 1850×320×115
Net Weight(kg)	RS1830A-1 · 25
	RS1830A-2 · 50
Gross Weight(kg)	RS1830A-1 · 27
	RS1830A-2 · 52

PASSENDE LIJST

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Fabrikant: Shanghai muxinmuyeyouxiangongsi
Adres: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Geïmporteerd naar AUS: SIHAO PTY LTD, 1
ROKEVA STREETEASTWOOD NSW 2122 Australië
Geïmporteerd naar de VS: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt aan de Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Kantoor 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelbeschermer helling


Model nr:

CP-1P-1


CP-1P-2

CP-1P-3

Kabelbeschermer helling



INSTRUCTIE



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversized vehicle is not recommended.

TECHNISCHE SPECIFICATIES

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1 · 1035×145×25
	CP-1P-2 · 1030×145×50
	CP-1P-3 · 1045×150×85
Net Weight(kg)	CP-1P-1 · 1.4
	CP-1P-2 · 2.7
	CP-1P-3 · 4.1
Gross Weight(kg)	CP-1P-1 · 1.6
	CP-1P-2 · 3.0
	CP-1P-3 · 4.7

Tillverkare: Shanghai muxinmuyeyouxiangongsi
Adress: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien
Importerad till USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelskyddsramp

Modell nr:


CP-2U-1

CP-2U-5

Kabelskyddsrampe



INSTRUKTION



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

TEKNISKA SPECIFIKATIONER

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU, TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1: 955×265×50
	CP-2U-5: 965×280×250
Net Weight(kg)	CP-2U-1: 4.8
	CP-2U-5: 24
Gross Weight(kg)	CP-2U-1: 5.0
	CP-2U-5: 25.4

Tillverkare: Shanghai muxinmuyeyouxiangongsi
Adress: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien
Importerad till USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.




YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Kabelskyddsramp

Modellnr: CP-5DA

Kabelskyddsramp



INSTRUKTION




TEKNISKA SPECIFIKATIONER

Model	CP-5DA
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36,2

Attention :

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

Tillverkare: Shanghai muxinmuyeyouxiangongsi
Adress: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien
Importerad till USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Kabelskyddsramp

Modell nr:
CP-1EV-4

Kabelskyddsrampe



INSTRUKTION



Attention: M8*90 Expansion Bolts
need to be fixed for installation.

TEKNISKA SPECIFIKATIONER

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Tillverkare: Shanghaimuxinmuyeyouxiangongsi
Adress: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien
Importerad till USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Kabelskyddsramp

Modell nr:
RS1830A-1
RS1830A-2

Kabelskyddsramp



INSTRUKTION



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.


TEKNISKA SPECIFIKATIONER

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1 : 1850×320×60
	RS1830A-2 : 1850×320×115
Net Weight(kg)	RS1830A-1 : 25
	RS1830A-2 : 50
Gross Weight(kg)	RS1830A-1 : 27
	RS1830A-2 : 52

PASSLISTA

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Tillverkare: Shanghai muxinmuyeyouxiangongsi
Adress: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australien
Importerad till USA: Sanven Technology Ltd., Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147,
Centurion House, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Kabelskyddsramp


Modell nr:

CP-1P-1


CP-1P-2

CP-1P-3

Kabelskyddsramp



INSTRUKTION



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversized vehicle is not recommended.

TEKNISKA SPECIFIKATIONER

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1: 1035×145×25
	CP-1P-2: 1030×145×50
	CP-1P-3: 1045×150×85
Net Weight(kg)	CP-1P-1: 1.4
	CP-1P-2: 2.7
	CP-1P-3: 4.1
Gross Weight(kg)	CP-1P-1: 1.6
	CP-1P-2: 3.0
	CP-1P-3: 4.7

Fabricante: Shanghai muxin muyeyouxiangongsi

Dirección: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importado a AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,
60329 Fráncfort del Meno.



YH CONSULTING LIMITADA.

C/O YH Consulting Limited Oficina 147,
Casa Centurión, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa protectora de cables

N.º de modelo:


CP-2U-1

CP-2U-5

Rampa protectora de cables



INSTRUCCIÓN



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

ESPECIFICACIONES TÉCNICAS

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1: 955×265×50
	CP-2U-5: 965×280×250
Net Weight(kg)	CP-2U-1: 4.8
	CP-2U-5: 24
Gross Weight(kg)	CP-2U-1: 5.0
	CP-2U-5: 25.4

Fabricante: Shanghai muxin muyeyouxiangongsi

Dirección: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importado a AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH

Mainzer Landstr. 69,
60329 Fráncfort del Meno.




YH CONSULTING LIMITADA.

C/O YH Consulting Limited Oficina 147,
Casa Centurión, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Rampa protectora de cables

Número de modelo: CP-5DA

Rampa protectora de cables



INSTRUCCIÓN



ESPECIFICACIONES TÉCNICAS

Model	CP-5DA
MaximumLoad Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36,2

Attention :

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

Fabricante: Shanghai muxinmuyeyouxiangongsi
Dirección: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importado a AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importado a EE. UU.: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Fráncfort del Meno.



YH CONSULTING LIMITADA.
C/O YH Consulting Limited Oficina 147,
Casa Centurión, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa protectora de cables


N.º de modelo:

CP-1EV-4

Rampa protectora de cables



INSTRUCCIÓN



Attention: M8*90 Expansion Bolts need to be fixed for installation.

ESPECIFICACIONES TÉCNICAS

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Fabricante: Shanghaiixinmuyeyouxiangongsi
Dirección: Shuangchenglu 803hong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importado a AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importado a EE. UU.: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Fráncfort del Meno.



YH CONSULTING LIMITADA.
C/O YH Consulting Limited Oficina 147,
Casa Centurión, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Rampa protectora de cables

N.º de modelo:

RS1830A-1

RS1830A-2

Rampa protectora de cables



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.

INSTRUCCIÓN

ESPECIFICACIONES TÉCNICAS

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1 : 1850×320×60
	RS1830A-2 : 1850×320×115
Net Weight(kg)	RS1830A-1 : 25
	RS1830A-2 : 50
Gross Weight(kg)	RS1830A-1 : 27
	RS1830A-2 : 52

LISTA DE AJUSTES

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Fabricante: Shanghaimuxinmuyeyouxiangongsi
Dirección: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importado a AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importado a EE. UU.: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr. 69,
60329 Fráncfort del Meno.



YH CONSULTING LIMITADA.
C/O YH Consulting Limited Oficina 147,
Casa Centurión, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa protectora de cables


N.º de modelo:

CP-1P-1


CP-1P-2

CP-1P-3

Rampa protectora de cables



INSTRUCCIÓN



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

ESPECIFICACIONES TÉCNICAS

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1: 1035×145×25
	CP-1P-2: 1030×145×50
	CP-1P-3: 1045×150×85
Net Weight(kg)	CP-1P-1: 1.4
	CP-1P-2: 2.7
	CP-1P-3: 4.1
Gross Weight(kg)	CP-1P-1: 1.6
	CP-1P-2: 3.0
	CP-1P-3: 4.7

Produttore: Shanghai muxinmuyeyouxiangongsi
Indirizzo: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importato in AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importato negli USA: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Magonza Landstr. 69,
60329 Francoforte sul Meno.



CONSULENZA YH LIMITATA.
C/O YH Consulting Limited Ufficio 147,
Casa Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa di protezione del cavo

Numero modello:


CP-2U-1

CP-2U-5

Rampa di protezione del cavo



ISTRUZIONE



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

SPECIFICHE TECNICHE

Model	CP-2U-1
	CP-2U-5
Maximum Load Capacity(lbs)	22000
Main Material	TPU. TPR
Color	Black + Yellow
Product Dimensions(L×W×H mm)	918×250×43
Packing Size(L×W×H mm)	CP-2U-1. 955×265×50
	CP-2U-5. 965×280×250
Net Weight(kg)	CP-2U-1. 4.8
	CP-2U-5. 24
Gross Weight(kg)	CP-2U-1. 5.0
	CP-2U-5. 25.4

Produttore: Shanghai muxinmuyeyouxiangongsi
Indirizzo: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importato in AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importato negli USA: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Magonza Landstr. 69,
60329 Francoforte sul Meno.




CONSULENZA YH LIMITATA.
C/O YH Consulting Limited Ufficio 147,
Casa Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX


Rampa di protezione del cavo

Numero modello: CP-5DA

Rampa di protezione del cavo



ISTRUZIONE



Attention

1. Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

SPECIFICHE TECNICHE

Model	CP-5DA
MaximumLoad Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1145×800×50
Packing Size(L×W×H mm)	1170×880×70
Net Weight(kg)	34,5
Gross Weight(kg)	36,2

Produttore: Shanghaimuxinmuyeyouxiangongsi
Indirizzo: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importato in AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importato negli USA: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Magonza Landstr. 69,
60329 Francoforte sul Meno.



CONSULENZA YH LIMITATA.
C/O YH Consulting Limited Ufficio 147,
Casa Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa di protezione del cavo


Numero modello:

CP-1EV-4

Rampa di protezione del cavo



ISTRUZIONE



Attention: M8*90 Expansion Bolts
need to be fixed for installation.

SPECIFICHE TECNICHE

Model	CP-1EV-4
Maximum Load Capacity(lbs)	18000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1000×150×31
Packing Size(L×W×H mm)	1015×170×140
Net Weight(kg)	16.8
Gross Weight(kg)	17

Produttore: Shanghai xinxinmuyeyouxiangongsi
Indirizzo: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importato in AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importato negli USA: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Magenza Landstr. 69,
60329 Francoforte sul Meno.



CONSULENZA YH LIMITATA.
C/O YH Consulting Limited Ufficio 147,
Casa Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa di protezione del cavo

Numero modello:


Modello RS1830A-1

Modello RS1830A-2

Rampa di protezione del cavo



ISTRUZIONE



Attention:
M8*100mm Expansion Bolts need to
be fixed for installation.

SPECIFICHE TECNICHE

Model	RS1830A-1
	RS1830A-2
Maximum Load Capacity(lbs)	22000
Main Material	Rubber
Color	Black + Yellow
Product Dimensions(L×W×H mm)	1830×300×45
Packing Size(L×W×H mm)	RS1830A-1 · 1850×320×60
	RS1830A-2 · 1850×320×115
Net Weight(kg)	RS1830A-1 · 25
	RS1830A-2 · 50
Gross Weight(kg)	RS1830A-1 · 27
	RS1830A-2 · 52

LISTA DI MONTAGGIO

RS1830A-1	Expansion Screw	4pcs	
	Boring Crown	1pcs	
RS1830A-2	Expansion Screw	8pcs	
	Boring Crown	1pcs	

Produttore: Shanghaimuxinmuyeyouxiangongsi
Indirizzo: Shuangchenglu 803nong11hao
1602A-1609shi, baoshanqu, shanghai 200000 CN.
Importato in AUS: SIHAO PTY LTD, 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Importato negli USA: Sanven Technology Ltd., Suite
250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Magonza Landstr. 69,
60329 Francoforte sul Meno.



CONSULENZA YH LIMITATA.
C/O YH Consulting Limited Ufficio 147,
Casa Centurion, London Road,
Staines-upon-Thames, Surrey, TW18 4AX

Rampa di protezione del cavo


Numero modello:

CP-1P-1


CP-1P-2

CP-1P-3

Rampa di protezione del cavo



ISTRUZIONE



Attention: Fill with the cable in the ramp slots, the ramp is fit for small vehicles to pass through at low speed, oversize vehicle is not recommended.

SPECIFICHE TECNICHE

Model	CP-1P-1
	CP-1P-2
	CP-1P-3
Maximum Load Capacity(lbs)	2000
Main Material	TPR
Color	Black
Product Dimensions(L×W×H mm)	1000×130×20
Packing Size(L×W×H mm)	CP-1P-1 · 1035×145×25
	CP-1P-2 · 1030×145×50
	CP-1P-3 · 1045×150×85
Net Weight(kg)	CP-1P-1 · 1.4
	CP-1P-2 · 2.7
	CP-1P-3 · 4.1
Gross Weight(kg)	CP-1P-1 · 1.6
	CP-1P-2 · 3.0
	CP-1P-3 · 4.7